

Initial Equipment Request for *Superior Donuts* - Tennessee Repertory Theatre

Description	Quantity
ETC Source Four 19 Degree	26
ETC Source Four 26 Degree	50
ETC Source Four 36 Degree	36
PAR 64 MFL	8
PAR 64 WFL	8
Lee Colortran Zoom	37
Strand 3380 6" Fresnel	44
Strand 3480 8" Fresnel	20
R40 Strip (4 Cir.)	8

Gel Count	Quantity
Forthcoming with Paperwork	

Gobo Count (Size B)	Quantity
Forthcoming with Paperwork	

Gobo Count (Size A)	Quantity
Forthcoming with Paperwork	

Gel Frames	Quantity
6.25"	112
7.5"	101
10"	36
R40	All Cells

Pattern Holders	Quantity
Source Four A Size	50
Lee Colortran	30

Accessories	Quantity
Source Four Iris Kit	12
12" Sidearm	4
8" Fresnel Barndoor	20
6" Fresnel Barndoor	30
6.25" Tophats	10

Effects Equipment	Quantity
Forthcoming with Paperwork	

Notes

Please have Source Four ERS Size cuts of R132 on hand at focus. Please contact me with any questions.

Please provide twenty-five two-fers for the space.

Please provide two Leprecon Portable Dimmer Packs run backstage for Set Mounted Practicals.

Prepared for Tennessee Repertory Theatre
Monday February 6, 2012

Production Dates:

March 9, 2012 (Load In)
March 17-31, 2012 (Run)

Lighting Designer: Michael Barnett
Ldutr@mindspring.com - 615.491.1007

05 Mar 2012

Design: Michael Barnett
Master Electrician: Brent Smith

Tennessee Repertory Theatre
Andrew Johnson Theatre / TPAC

Channel	Dim	Position	U#	Type & Accessories & Watts	Purpose	Color & Template
(1)		Grid F	1	Source 4 26degw/- 575w	A	G870, T:-
(2)		Grid F	3	Source 4 26degw/- 575w	B	G870, T:-
(3)		Grid G	1	Source 4 26degw/- 575w	C	G870, T:-
(4)		Grid G	3	Source 4 26degw/- 575w	D	G870, T:-
(5)		Grid G	5	Source 4 26degw/- 575w	E	G870, T:-
(6)		Grid G	7	Source 4 26degw/- 575w	F	G870, T:-
(7)		Grid H	1	Source 4 26degw/- 575w	G	G870, T:-
(8)		Grid H	4	Source 4 26degw/- 575w	H	G870, T:-
(9)		Grid H	9	Source 4 26degw/- 575w	I	G870, T:-
(10)		Grid H	12	Source 4 26degw/- 575w	J	G870, T:-
(11)		Grid E	13	65Q 6" Fresw/- 750w	K	G870, T:-
(12)		Grid H	13	Source 4 26degw/- 575w	L	G870, T:-
(13)		Grid H	5	Source 4 26degw/- 575w	M	G870, T:-
(14)		Grid H	8	Source 4 26degw/- 575w	N	G870, T:-
(15)		Grid H	14	Source 4 26degw/- 575w	O	G870, T:-
(16)		Grid E	12	65Q 6" Fresw/7.5" BarnD-4* 750w	P	G870, T:-
(17)		Grid J	1	Source 4 26degw/- 575w	Q	G870, T:-
(18)		Grid J	3	Source 4 19degw/- 575w	R	G870, T:-
(19)		Grid J	5	Source 4 19degw/- 575w	S	G870, T:-
(20)		Grid J	7	Source 4 26degw/- 575w	T	G870, T:-
(21)		Grid K	2	65Q 6" Fresw/7.5" BarnD-4* 750w	U	G870, T:-
(22)		Grid E	14	65Q 6" Fresw/7.5" BarnD-4* 750w	VW	G870, T:-
(23)		Grid K	1	65Q 6" Fresw/7.5" BarnD-4* 750w	X	G870, T:-
(31)		Grid D	15	Lee Colortran Zoomw/- 1kw	AB	R302, T:-
(32)		Grid D	6	Lee Colortran Zoomw/- 1kw	CD	R302, T:-
(33)		Grid D	14	Lee Colortran Zoomw/- 1kw	EF	R302, T:-
(34)		Grid D	3	Lee Colortran Zoomw/- 1kw	GH	R302, T:-
(35)		Grid D	13	Lee Colortran Zoomw/- 1kw	IJ	R302, T:-
(36)		Grid M	7	Lee Colortran Zoomw/- 1kw	LM	R302, T:-
(37)		Grid M	8	Lee Colortran Zoomw/- 1kw	NO	R302, T:-
(38)		Grid M	11	Lee Colortran Zoomw/- 1kw	QRS	R302, T:-

Channel	Dim	Position	U#	Type & Accessories & Watts	Purpose	Color & Template
(39)		Grid M	13	Lee Colortran Zoomw/- 1kw	STU	R302, T:-
(41)		Grid L	3	Lee Colortran Zoomw/- 1kw	AB	R63, T:-
(42)		Grid L	2	Lee Colortran Zoomw/- 1kw	CD	R63, T:-
(43)		Grid L	9	Lee Colortran Zoomw/- 1kw	EF	R63, T:-
(44)		Grid L	1	Lee Colortran Zoomw/- 1kw	GH	R63, T:-
(45)		Grid L	6	Lee Colortran Zoomw/- 1kw	IJ	R63, T:-
(46)		Grid O	8	Lee Colortran Zoomw/- 1kw	LM	R63, T:-
(47)		Grid O	7	Lee Colortran Zoomw/- 1kw	NO	R63, T:-
(48)		Grid O	11	Lee Colortran Zoomw/- 1kw	PQR	R63, T:-
(49)		Grid O	13	Lee Colortran Zoomw/- 1kw	RST	R63, T:-
(51)		Grid F	2	65Q 6" Fresw/- 750w	AB	R51, T:-
(52)		Grid G	2	65Q 6" Fresw/7.5" BarnD-4* 750w	CD	R51, T:-
(53)		Grid G	4	65Q 6" Fresw/- 750w	DE	R51, T:-
(54)		Grid G	6	65Q 6" Fresw/7.5" BarnD-4* 750w	EF	R51, T:-
(55)		Grid H	3	65Q 6" Fresw/7.5" BarnD-4* 750w	GH	R51, T:-
(56)		Grid H	7	65Q 6" Fresw/- 750w	HI	R51, T:-
(57)		Grid H	11	65Q 6" Fresw/7.5" BarnD-4* 750w	IJ	R51, T:-
(58)		Grid E	10	65Q 6" Fresw/- 750w	KL	R51, T:-
(59)		Grid H	2	65Q 6" Fresw/7.5" BarnD-4* 750w	LM	R51, T:-
(60)		Grid H	6	65Q 6" Fresw/7.5" BarnD-4* 750w	MN	R51, T:-
(61)		Grid H	10	65Q 6" Fresw/7.5" BarnD-4* 750w	NO	R51, T:-
(62)		Grid E	9	65Q 6" Fresw/7.5" BarnD-4* 750w	PQ	R51, T:-
(63)		Grid J	2	65Q 6" Fresw/7.5" BarnD-4* 750w	QR	R51, T:-
(64)		Grid J	4	65Q 6" Fresw/7.5" BarnD-4* 750w	RS	R51, T:-
(65)		Grid J	6	65Q 6" Fresw/7.5" BarnD-4* 750w	ST	R51, T:-
(66)		Grid K	4	65Q 6" Fresw/7.5" BarnD-4* 750w	TU	R51, T:-
(67)		Grid E	11	65Q 6" Fresw/7.5" BarnD-4* 750w	VW	R51, T:-
(68)		Grid K	3	65Q 6" Fresw/7.5" BarnD-4* 750w	X	R51, T:-
(71)		Grid D	10	Source 4 26degw/- 575w	A	R362, T:-
(72)		Grid E	6	Source 4 26degw/- 575w	B	R362, T:-
(73)		Grid D	5	Source 4 26degw/- 575w	C	R362, T:-
(74)		Grid D	4	Source 4 26degw/- 575w	D	R362, T:-
(75)		Grid E	4	Source 4 26degw/- 575w	E	R362, T:-

Channel	Dim	Position	U#	Type & Accessories & Watts	Purpose	Color & Template
(76)		Grid E	3	Source 4 26degw/- 575w	F	R362, T:-
(77)		Grid D	2	Source 4 26degw/- 575w	G	R362, T:-
(78)		Grid D	1	Source 4 26degw/- 575w	H	R362, T:-
(79)		Grid E	2	Source 4 26degw/- 575w	I	R362, T:-
(80)		Grid E	1	Source 4 26degw/- 575w	J	R362, T:-
(81)		Grid M	4	Source 4 26degw/- 575w	L	R362, T:-
(82)		Grid M	3	Source 4 26degw/- 575w	M	R362, T:-
(83)		Grid M	6	Source 4 19degw/- 575w	N	R362, T:-
(84)		Grid M	5	Source 4 19degw/- 575w	O	R362, T:-
(85)		Grid M	9	Source 4 36degw/- 575w	PQ	R362, T:-
(86)		Grid M	10	Source 4 26degw/- 575w	QR	R362, T:-
(87)		Grid M	12	Source 4 26degw/- 575w	RS	R362, T:-
(88)		Grid M	14	Source 4 19degw/- 575w	ST	R362, T:-
(89)		Grid M	15	Source 4 19degw/- 575w	TU	R362, T:-
(91)		Grid K	10	Source 4 26degw/- 575w	A	R356, T:-
(92)		Grid L	13	Source 4 26degw/- 575w	B	R356, T:-
(93)		Grid K	7	Source 4 26degw/- 575w	C	R356, T:-
(94)		Grid K	8	Source 4 26degw/- 575w	D	R356, T:-
(95)		Grid L	7	Source 4 26degw/- 575w	E	R356, T:-
(96)		Grid L	8	Source 4 26degw/- 575w	F	R356, T:-
(97)		Grid K	5	Source 4 26degw/- 575w	G	R356, T:-
(98)		Grid K	6	Source 4 26degw/- 575w	H	R356, T:-
(99)		Grid L	4	Source 4 26degw/- 575w	I	R356, T:-
(100)		Grid L	5	Source 4 26degw/- 575w	J	R356, T:-
(101)		Grid O	5	Source 4 19degw/- 575w	L	R356, T:-
(102)		Grid O	6	Source 4 19degw/- 575w	M	R356, T:-
(103)		Grid O	3	Source 4 26degw/- 575w	N	R356, T:-
(104)		Grid O	4	Source 4 26degw/- 575w	O	R356, T:-
(105)		Grid O	9	Source 4 19degw/- 575w	PQ	R356, T:-
(106)		Grid O	10	Source 4 19degw/- 575w	QR	R356, T:-
(107)		Grid O	12	Source 4 26degw/- 575w	RS	R356, T:-
(108)		Grid O	14	Source 4 26degw/- 575w	ST	R356, T:-
(109)		Grid O	15	Source 4 36degw/- 575w	TU	R356, T:-

Channel	Dim	Position	U#	Type & Accessories & Watts	Purpose	Color & Template
(111)		Grid H	15	Source 4 36degw/- 575w	A	L201, T:G643
(112)		Grid H	17	Source 4 36degw/- 575w	B	L201, T:G643
(113)		Grid J	11	Source 4 36degw/- 575w	C	L201, T:G643
(114)		Grid J	13	Source 4 36degw/- 575w	D	L201, T:G643
(115)		Grid J	15	Source 4 36degw/- 575w	E	L201, T:G643
(116)		Grid J	18	Source 4 36degw/- 575w	F	L201, T:G643
(117)		Grid N	12	Source 4 36degw/- 575w	G	L201, T:G643
(118)		Grid N	15	Source 4 36degw/- 575w	H	L201, T:G643
(119)		Grid N	17	Source 4 36degw/- 575w	I	L201, T:G643
(120)		Grid N	19	Source 4 36degw/- 575w	J	L201, T:G643
(121)		Grid N	1	Source 4 36degw/- 575w	KL	L201, T:G643
(122)		Grid N	4	Source 4 36degw/- 575w	M	L201, T:G643
(123)		Grid N	7	Source 4 36degw/- 575w	N	L201, T:G643
(124)		Grid N	9	Source 4 36degw/- 575w	O	L201, T:G643
(125)		1st Electric	5	Source 4 36degw/6.25"-TopHat* 575w	P	L201, T:G643
(126)		1st Electric	7	Source 4 36degw/6.25"-TopHat* 575w	Q	L201, T:G643
(127)		1st Electric	9	Source 4 36degw/6.25"-TopHat* 575w	RS	L201, T:G643
(128)		1st Electric	11	Source 4 36degw/6.25"-TopHat* 575w	T	L201, T:G643
(129)		1st Electric	13	Source 4 36degw/6.25"-TopHat* 575w	UX	L201, T:G643
(130)		1st Electric	3	Source 4 36degw/6.25"-TopHat* 575w	VW	L201, T:G643
(131)		Grid H	16	8" Fresw/10" BarnD-4* 1kw	A	R368, T:-
(132)		Grid H	18	8" Fresw/10" BarnD-4* 1kw	B	R368, T:-
(133)		Grid J	12	8" Fresw/10" BarnD-4* 1kw	C	R368, T:-
(134)		Grid J	14	8" Fresw/- 1kw	D	R368, T:-
(135)		Grid J	16	8" Fresw/- 1kw	E	R368, T:-
(136)		Grid J	19	8" Fresw/10" BarnD-4* 1kw	F	R368, T:-
(137)		Grid N	13	8" Fresw/10" BarnD-4* 1kw	G	R368, T:-
(138)		Grid N	16	8" Fresw/- 1kw	H	R368, T:-
(139)		Grid N	18	8" Fresw/- 1kw	I	R368, T:-
(140)		Grid N	20	8" Fresw/10" BarnD-4* 1kw	J	R368, T:-
(141)		Grid N	2	8" Fresw/10" BarnD-4* 1kw	KL	R368, T:-
(142)		Grid N	5	8" Fresw/10" BarnD-4* 1kw	M	R368, T:-
(143)		Grid N	8	8" Fresw/10" BarnD-4* 1kw	N	R368, T:-

Channel	Dim	Position	U#	Type & Accessories & Watts	Purpose	Color & Template
(144)		Grid N	10	8" Fresw/10" BarnD-4* 1kw	O	R368, T:-
(145)		1st Electric	6	8" Fresw/- 1kw	P	R368, T:-
(146)		1st Electric	8	8" Fresw/- 1kw	Q	R368, T:-
(147)		1st Electric	10	8" Fresw/- 1kw	RS	R368, T:-
(148)		1st Electric	12	8" Fresw/- 1kw	T	R368, T:-
(149)		1st Electric	14	8" Fresw/- 1kw	UX	R368, T:-
(150)		1st Electric	4	8" Fresw/- 1kw	VW	R368, T:-
(151)		Floor Mount	A1	Altman R40 Stripw/- 300w	WALL	NC, T:-
		"	B1	"	"	"
(152)		Floor Mount	A2	Altman R40 Stripw/- 300w	WALL	R72, T:-
		"	B2	"	"	"
(153)		Floor Mount	A3	Altman R40 Stripw/- 300w	WALL	R57, T:-
		"	B3	"	"	"
(154)		Floor Mount	A4	Altman R40 Stripw/- 300w	WALL	R80, T:-
		"	B4	"	"	"
(161)		2nd Electric	1	Source 4 36degw/- 575w	WALL	R61, T:G673
		"	3	"	"	"
(171)		2nd Electric	7	Source 4 36degw/- 575w	WALL	L201, T:G635
(181)		2nd Electric	2	Source 4 36degw/- 575w	WALL	R388, T:G635
(191)		2nd Electric	6	Source 4 36degw/- 575w	WALL	R57, T:G673
		"	8	"	"	"
(201)		1st Electric	1	Source 4 36degw/- 575w	AA	R61, T:-
		"	2	"	"	"
(211)		2nd Electric	4	Source 4 36degw/- 575w	AA	R70, T:-
		"	5	"	"	"
(221)		Grid A	2	Source 4 19degw/- 575w	SET	R61, T:R77979
(222)		Grid B	2	Source 4 19degw/- 575w	SET	R61, T:R77979
(223)		Grid B	4	Source 4 19degw/- 575w	SET	R61, T:R77979
(224)		Grid C	2	Source 4 19degw/- 575w	SET	R61, T:R77979
(231)		Grid A	1	Source 4 19degw/- 575w	SET	R70, T:R78448
(232)		Grid B	1	Source 4 19degw/- 575w	SET	R70, T:R78448
(233)		Grid B	3	Source 4 19degw/- 575w	SET	R70, T:R78448
(234)		Grid C	1	Source 4 19degw/- 575w	SET	R70, T:R78448
(241)		Grid L	12	Source 4 19degw/- 575w	PAINT	R61, T:R77216
(242)		Grid L	11	Source 4 19degw/- 575w	PAINT	R61, T:R77216

Channel	Dim	Position	U#	Type & Accessories & Watts	Purpose	Color & Template
(251)		Grid D	8	Source 4 19degw/- 575w	PAINT	R70, T:R77216
(252)		Grid D	9	Source 4 19degw/- 575w	PAINT	R70, T:R77216
(261)		Grid O	1	Source 4 26degw/6.25"-TopHat* 575w	FACADE	R388, T:R78221
(262)		Grid O	2	Source 4 26degw/6.25"-TopHat* 575w	FACADE	R388, T:R78221
(271)		Grid M	1	Source 4 26degw/6.25"-TopHat* 575w	FACADE	R75, T:R78047
(272)		Grid M	2	Source 4 26degw/6.25"-TopHat* 575w	FACADE	R75, T:R78047
(281)		Grid J	9	Source 4 19degw/- 575w	DOOR	G870, T:-
(291)		Grid J	10	Source 4 19degw/- 575w	DOOR	R51, T:-
(301)		Grid J	8	65Q 6" Fresw/- 750w	TABLE	R08, T:-
(302)		Grid J	17	65Q 6" Fresw/- 750w	TABLE	R08, T:-
(311)		Grid N	14	65Q 6" Fresw/- 750w	STOOL	R08, T:-
(312)		Grid N	3	65Q 6" Fresw/- 750w	STOOL	R08, T:-
(313)		Grid N	6	65Q 6" Fresw/- 750w	STOOL	R08, T:-
(314)		Grid N	11	65Q 6" Fresw/- 750w	STOOL	R08, T:-
(321)		2nd Electric	10	PAR 64 WFLw/- 1kw	YZ	R09, T:-
(331)		2nd Electric	9	PAR 64 WFLw/- 1kw	YZ	R62, T:-
(341)		Grid D	12	Lee Colortran Zoomw/- 1kw	SOLO	R363, T:-
(342)		Grid E	8	Lee Colortran Zoomw/- 1kw	SOLO	R363, T:-
(343)		Grid D	11	Lee Colortran Zoomw/- 1kw	SOLO	R363, T:-
(344)		Grid E	7	Lee Colortran Zoomw/- 1kw	SOLO	R363, T:-
(345)		Grid D	7	Lee Colortran Zoomw/- 1kw	SOLO	R363, T:-
(346)		Grid E	5	Lee Colortran Zoomw/- 1kw	SOLO	R363, T:-
(351)		Grid K	12	Lee Colortran Zoomw/- 1kw	SOLO	R366, T:-
(352)		Grid L	15	Lee Colortran Zoomw/- 1kw	SOLO	R366, T:-
(353)		Grid K	11	Lee Colortran Zoomw/- 1kw	SOLO	R366, T:-
(354)		Grid L	14	Lee Colortran Zoomw/- 1kw	SOLO	R366, T:-
(355)		Grid K	9	Lee Colortran Zoomw/- 1kw	SOLO	R366, T:-
(356)		Grid L	10	Lee Colortran Zoomw/- 1kw	SOLO	R366, T:-
(401)		Set Mount	1	Practical 100w	SIGN	NC
(402)		Set Mount	2	Practical 100w	SIGN	NC
(403)		Set Mount	3	Practical 100w	SIGN	NC
(404)		Set Mount	4	Practical 100w	SIGN	NC
(405)		Set Mount	5	Practical 100w	SIGN	NC

Channel	Dim	Position	U#	Type & Accessories & Watts	Purpose	Color & Template
(406)		Set Mount	6	Practical 100w	SIGN	NC

Design: Michael Barnett
Master Electrician: Brent Smith

Tennessee Repertory Theatre
Andrew Johnson Theatre / TPAC

Grid A

U#	Purpose	Type & Accessories	W	Color	Template	Dim	Chn
1	SET	Source 4 19degw/-	575w	R70	R78448		(231)
2	SET	Source 4 19degw/-	575w	R61	R77979		(221)

Grid B

U#	Purpose	Type & Accessories	W	Color	Template	Dim	Chn
1	SET	Source 4 19degw/-	575w	R70	R78448		(232)
2	SET	Source 4 19degw/-	575w	R61	R77979		(222)
3	SET	Source 4 19degw/-	575w	R70	R78448		(233)
4	SET	Source 4 19degw/-	575w	R61	R77979		(223)

Grid C

U#	Purpose	Type & Accessories	W	Color	Template	Dim	Chn
1	SET	Source 4 19degw/-	575w	R70	R78448		(234)
2	SET	Source 4 19degw/-	575w	R61	R77979		(224)

Grid D

U#	Purpose	Type & Accessories	W	Color	Template	Dim	Chn
1	H	Source 4 26degw/-	575w	R362	-		(78)
2	G	Source 4 26degw/-	575w	R362	-		(77)
3	GH	Lee Colortran Zoomw/-	1kw	R302	-		(34)
4	D	Source 4 26degw/-	575w	R362	-		(74)
5	C	Source 4 26degw/-	575w	R362	-		(73)
6	CD	Lee Colortran Zoomw/-	1kw	R302	-		(32)
7	SOLO	Lee Colortran Zoomw/-	1kw	R363	-		(345)
8	PAINT	Source 4 19degw/-	575w	R70	R77216		(251)
9	PAINT	Source 4 19degw/-	575w	R70	R77216		(252)
10	A	Source 4 26degw/-	575w	R362	-		(71)
11	SOLO	Lee Colortran Zoomw/-	1kw	R363	-		(343)
12	SOLO	Lee Colortran Zoomw/-	1kw	R363	-		(341)
13	IJ	Lee Colortran Zoomw/-	1kw	R302	-		(35)
14	EF	Lee Colortran Zoomw/-	1kw	R302	-		(33)
15	AB	Lee Colortran Zoomw/-	1kw	R302	-		(31)

Grid E

U#	Purpose	Type & Accessories	W	Color	Template	Dim	Chn
1	J	Source 4 26degw/-	575w	R362	-		(80)
2	I	Source 4 26degw/-	575w	R362	-		(79)
3	F	Source 4 26degw/-	575w	R362	-		(76)
4	E	Source 4 26degw/-	575w	R362	-		(75)
5	SOLO	Lee Colortran Zoomw/-	1kw	R363	-		(346)
6	B	Source 4 26degw/-	575w	R362	-		(72)
7	SOLO	Lee Colortran Zoomw/-	1kw	R363	-		(344)
8	SOLO	Lee Colortran Zoomw/-	1kw	R363	-		(342)
9	PQ	65Q 6" Fresw/7.5" BarnD-4*	750w	R51	-		(62)
10	KL	65Q 6" Fresw/-	750w	R51	-		(58)
11	VW	65Q 6" Fresw/7.5" BarnD-4*	750w	R51	-		(67)
12	P	65Q 6" Fresw/7.5" BarnD-4*	750w	G870	-		(16)
13	K	65Q 6" Fresw/-	750w	G870	-		(11)
14	VW	65Q 6" Fresw/7.5" BarnD-4*	750w	G870	-		(22)

Grid F

U#	Purpose	Type & Accessories	W	Color	Template	Dim	Chn
1	A	Source 4 26degw/-	575w	G870	-		(1)
2	AB	65Q 6" Fresw/-	750w	R51	-		(51)
3	B	Source 4 26degw/-	575w	G870	-		(2)

Grid G

U#	Purpose	Type & Accessories	W	Color	Template	Dim	Chn
1	C	Source 4 26degw/-	575w	G870	-		(3)
2	CD	65Q 6" Fresw/7.5" BarnD-4*	750w	R51	-		(52)
3	D	Source 4 26degw/-	575w	G870	-		(4)
4	DE	65Q 6" Fresw/-	750w	R51	-		(53)
5	E	Source 4 26degw/-	575w	G870	-		(5)
6	EF	65Q 6" Fresw/7.5" BarnD-4*	750w	R51	-		(54)
7	F	Source 4 26degw/-	575w	G870	-		(6)

Grid H

U#	Purpose	Type & Accessories	W	Color	Template	Dim	Chn
1	G	Source 4 26degw/-	575w	G870	-		(7)
2	LM	65Q 6" Fresw/7.5" BarnD-4*	750w	R51	-		(59)
3	GH	65Q 6" Fresw/7.5" BarnD-4*	750w	R51	-		(55)
4	H	Source 4 26degw/-	575w	G870	-		(8)
5	M	Source 4 26degw/-	575w	G870	-		(13)
6	MN	65Q 6" Fresw/7.5" BarnD-4*	750w	R51	-		(60)
7	HI	65Q 6" Fresw/-	750w	R51	-		(56)
8	N	Source 4 26degw/-	575w	G870	-		(14)
9	I	Source 4 26degw/-	575w	G870	-		(9)
10	NO	65Q 6" Fresw/7.5" BarnD-4*	750w	R51	-		(61)
11	IJ	65Q 6" Fresw/7.5" BarnD-4*	750w	R51	-		(57)
12	J	Source 4 26degw/-	575w	G870	-		(10)
13	L	Source 4 26degw/-	575w	G870	-		(12)
14	O	Source 4 26degw/-	575w	G870	-		(15)
15	A	Source 4 36degw/-	575w	L201	G643		(111)
16	A	8" Fresw/10" BarnD-4*	1kw	R368	-		(131)
17	B	Source 4 36degw/-	575w	L201	G643		(112)
18	B	8" Fresw/10" BarnD-4*	1kw	R368	-		(132)

Grid J

U#	Purpose	Type & Accessories	W	Color	Template	Dim	Chn
1	Q	Source 4 26degw/-	575w	G870	-		(17)
2	QR	65Q 6" Fresw/7.5" BarnD-4*	750w	R51	-		(63)
3	R	Source 4 19degw/-	575w	G870	-		(18)
4	RS	65Q 6" Fresw/7.5" BarnD-4*	750w	R51	-		(64)
5	S	Source 4 19degw/-	575w	G870	-		(19)
6	ST	65Q 6" Fresw/7.5" BarnD-4*	750w	R51	-		(65)
7	T	Source 4 26degw/-	575w	G870	-		(20)
8	TABLE	65Q 6" Fresw/-	750w	R08	-		(301)
9	DOOR	Source 4 19degw/-	575w	G870	-		(281)
10	DOOR	Source 4 19degw/-	575w	R51	-		(291)
11	C	Source 4 36degw/-	575w	L201	G643		(113)
12	C	8" Fresw/10" BarnD-4*	1kw	R368	-		(133)
13	D	Source 4 36degw/-	575w	L201	G643		(114)
14	D	8" Fresw/-	1kw	R368	-		(134)
15	E	Source 4 36degw/-	575w	L201	G643		(115)
16	E	8" Fresw/-	1kw	R368	-		(135)
17	TABLE	65Q 6" Fresw/-	750w	R08	-		(302)
18	F	Source 4 36degw/-	575w	L201	G643		(116)
19	F	8" Fresw/10" BarnD-4*	1kw	R368	-		(136)

Grid K

U#	Purpose	Type & Accessories	W	Color	Template	Dim	Chn
1	X	65Q 6" Fresw/7.5" BarnD-4*	750w	G870	-		(23)
2	U	65Q 6" Fresw/7.5" BarnD-4*	750w	G870	-		(21)
3	X	65Q 6" Fresw/7.5" BarnD-4*	750w	R51	-		(68)
4	TU	65Q 6" Fresw/7.5" BarnD-4*	750w	R51	-		(66)
5	G	Source 4 26degw/-	575w	R356	-		(97)
6	H	Source 4 26degw/-	575w	R356	-		(98)
7	C	Source 4 26degw/-	575w	R356	-		(93)
8	D	Source 4 26degw/-	575w	R356	-		(94)
9	SOLO	Lee Colortran Zoomw/-	1kw	R366	-		(355)
10	A	Source 4 26degw/-	575w	R356	-		(91)
11	SOLO	Lee Colortran Zoomw/-	1kw	R366	-		(353)
12	SOLO	Lee Colortran Zoomw/-	1kw	R366	-		(351)

Grid L

U#	Purpose	Type & Accessories	W	Color	Template	Dim	Chn
1	GH	Lee Colortran Zoomw/-	1kw	R63	-		(44)
2	CD	Lee Colortran Zoomw/-	1kw	R63	-		(42)
3	AB	Lee Colortran Zoomw/-	1kw	R63	-		(41)
4	I	Source 4 26degw/-	575w	R356	-		(99)
5	J	Source 4 26degw/-	575w	R356	-		(100)
6	IJ	Lee Colortran Zoomw/-	1kw	R63	-		(45)
7	E	Source 4 26degw/-	575w	R356	-		(95)
8	F	Source 4 26degw/-	575w	R356	-		(96)
9	EF	Lee Colortran Zoomw/-	1kw	R63	-		(43)
10	SOLO	Lee Colortran Zoomw/-	1kw	R366	-		(356)
11	PAINT	Source 4 19degw/-	575w	R61	R77216		(242)
12	PAINT	Source 4 19degw/-	575w	R61	R77216		(241)
13	B	Source 4 26degw/-	575w	R356	-		(92)
14	SOLO	Lee Colortran Zoomw/-	1kw	R366	-		(354)
15	SOLO	Lee Colortran Zoomw/-	1kw	R366	-		(352)

Grid M

U#	Purpose	Type & Accessories	W	Color	Template	Dim	Chn
1	FACADE	Source 4 26degw/6.25"-TopHat*	575w	R75	R78047		(271)
2	FACADE	Source 4 26degw/6.25"-TopHat*	575w	R75	R78047		(272)
3	M	Source 4 26degw/-	575w	R362	-		(82)
4	L	Source 4 26degw/-	575w	R362	-		(81)
5	O	Source 4 19degw/-	575w	R362	-		(84)
6	N	Source 4 19degw/-	575w	R362	-		(83)
7	LM	Lee Colortran Zoomw/-	1kw	R302	-		(36)
8	NO	Lee Colortran Zoomw/-	1kw	R302	-		(37)
9	PQ	Source 4 36degw/-	575w	R362	-		(85)
10	QR	Source 4 26degw/-	575w	R362	-		(86)
11	QRS	Lee Colortran Zoomw/-	1kw	R302	-		(38)
12	RS	Source 4 26degw/-	575w	R362	-		(87)
13	STU	Lee Colortran Zoomw/-	1kw	R302	-		(39)
14	ST	Source 4 19degw/-	575w	R362	-		(88)
15	TU	Source 4 19degw/-	575w	R362	-		(89)

Grid N

U#	Purpose	Type & Accessories	W	Color	Template	Dim	Chn
1	KL	Source 4 36degw/-	575w	L201	G643		(121)
2	KL	8" Fresw/10" BarnD-4*	1kw	R368	-		(141)
3	STOOL	65Q 6" Fresw/-	750w	R08	-		(312)
4	M	Source 4 36degw/-	575w	L201	G643		(122)
5	M	8" Fresw/10" BarnD-4*	1kw	R368	-		(142)
6	STOOL	65Q 6" Fresw/-	750w	R08	-		(313)
7	N	Source 4 36degw/-	575w	L201	G643		(123)
8	N	8" Fresw/10" BarnD-4*	1kw	R368	-		(143)
9	O	Source 4 36degw/-	575w	L201	G643		(124)
10	O	8" Fresw/10" BarnD-4*	1kw	R368	-		(144)
11	STOOL	65Q 6" Fresw/-	750w	R08	-		(314)
12	G	Source 4 36degw/-	575w	L201	G643		(117)
13	G	8" Fresw/10" BarnD-4*	1kw	R368	-		(137)
14	STOOL	65Q 6" Fresw/-	750w	R08	-		(311)
15	H	Source 4 36degw/-	575w	L201	G643		(118)
16	H	8" Fresw/-	1kw	R368	-		(138)
17	I	Source 4 36degw/-	575w	L201	G643		(119)
18	I	8" Fresw/-	1kw	R368	-		(139)
19	J	Source 4 36degw/-	575w	L201	G643		(120)
20	J	8" Fresw/10" BarnD-4*	1kw	R368	-		(140)

Grid O

U#	Purpose	Type & Accessories	W	Color	Template	Dim	Chn
1	FACADE	Source 4 26degw/6.25"-TopHat*	575w	R388	R78221		(261)
2	FACADE	Source 4 26degw/6.25"-TopHat*	575w	R388	R78221		(262)
3	N	Source 4 26degw/-	575w	R356	-		(103)
4	O	Source 4 26degw/-	575w	R356	-		(104)
5	L	Source 4 19degw/-	575w	R356	-		(101)
6	M	Source 4 19degw/-	575w	R356	-		(102)
7	NO	Lee Colortran Zoomw/-	1kw	R63	-		(47)
8	LM	Lee Colortran Zoomw/-	1kw	R63	-		(46)
9	PQ	Source 4 19degw/-	575w	R356	-		(105)
10	QR	Source 4 19degw/-	575w	R356	-		(106)
11	PQR	Lee Colortran Zoomw/-	1kw	R63	-		(48)
12	RS	Source 4 26degw/-	575w	R356	-		(107)
13	RST	Lee Colortran Zoomw/-	1kw	R63	-		(49)
14	ST	Source 4 26degw/-	575w	R356	-		(108)
15	TU	Source 4 36degw/-	575w	R356	-		(109)

1st Electric

U#	Purpose	Type & Accessories	W	Color	Template	Dim	Chn
1	AA	Source 4 36degw/-	575w	R61	-		(201)
2	AA	Source 4 36degw/-	575w	R61	-		(201)
3	VW	Source 4 36degw/6.25"-TopHat*	575w	L201	G643		(130)
4	VW	8" Fresw/-	1kw	R368	-		(150)
5	P	Source 4 36degw/6.25"-TopHat*	575w	L201	G643		(125)
6	P	8" Fresw/-	1kw	R368	-		(145)
7	Q	Source 4 36degw/6.25"-TopHat*	575w	L201	G643		(126)
8	Q	8" Fresw/-	1kw	R368	-		(146)
9	RS	Source 4 36degw/6.25"-TopHat*	575w	L201	G643		(127)
10	RS	8" Fresw/-	1kw	R368	-		(147)
11	T	Source 4 36degw/6.25"-TopHat*	575w	L201	G643		(128)
12	T	8" Fresw/-	1kw	R368	-		(148)
13	UX	Source 4 36degw/6.25"-TopHat*	575w	L201	G643		(129)
14	UX	8" Fresw/-	1kw	R368	-		(149)

2nd Electric

U#	Purpose	Type & Accessories	W	Color	Template	Dim	Chn
1	WALL	Source 4 36degw/-	575w	R61	G673		(161)
2	WALL	Source 4 36degw/-	575w	R388	G635		(181)
3	WALL	Source 4 36degw/-	575w	R61	G673		(161)
4	AA	Source 4 36degw/-	575w	R70	-		(211)
5	AA	Source 4 36degw/-	575w	R70	-		(211)
6	WALL	Source 4 36degw/-	575w	R57	G673		(191)
7	WALL	Source 4 36degw/-	575w	L201	G635		(171)
8	WALL	Source 4 36degw/-	575w	R57	G673		(191)
9	YZ	PAR 64 WFLw/-	1kw	R62	-		(331)
10	YZ	PAR 64 WFLw/-	1kw	R09	-		(321)

Floor Mount

U#	Purpose	Type & Accessories	W	Color	Template	Dim	Chn
A1	WALL	Altman R40 Stripw/-	300w	NC	-		(151)
A2	WALL	Altman R40 Stripw/-	300w	R72	-		(152)
A3	WALL	Altman R40 Stripw/-	300w	R57	-		(153)
A4	WALL	Altman R40 Stripw/-	300w	R80	-		(154)
B1	WALL	Altman R40 Stripw/-	300w	NC	-		(151)
B2	WALL	Altman R40 Stripw/-	300w	R72	-		(152)
B3	WALL	Altman R40 Stripw/-	300w	R57	-		(153)
B4	WALL	Altman R40 Stripw/-	300w	R80	-		(154)

Set Mount

U#	Purpose	Type & Accessories	W	Color	Template	Dim	Chn
1	SIGN	Practical	100w	NC			(401)
2	SIGN	Practical	100w	NC			(402)
3	SIGN	Practical	100w	NC			(403)
4	SIGN	Practical	100w	NC			(404)
5	SIGN	Practical	100w	NC			(405)
6	SIGN	Practical	100w	NC			(406)

Design: Michael Barnett
Master Electrician: Brent Smith

Tennessee Repertory Theatre
Andrew Johnson Theatre / TPAC

24	Source 4 19deg	575w	24	Total
48	Source 4 26deg	575w	48	Total
32	Source 4 36deg	575w	32	Total
30	Lee Colortran Zoom	1kw	30	Total
29	65Q 6" Fres	750w	29	Total
20	8" Fres	1kw	20	Total
2	PAR 64 WFL	1kw	2	Total
2	Altman R40 Strip	300w	2	Total
6	Practical	100w	6	Total
TOTAL LIGHTS:			193	

Design: Michael Barnett
Master Electrician: Brent Smith

Tennessee Repertory Theatre
Andrew Johnson Theatre / TPAC

7.5" BarnD-4*

18 for 65Q 6" Fres

18 Total 7.5" BarnD-4*

10" BarnD-4*

10 for 8" Fres

10 Total 10" BarnD-4*

6.25"-TopHat*

4 for Source 4 26deg

6 for Source 4 36deg

10 Total 6.25"-TopHat*

TOTAL ACCESSORIES: 38

Design: Michael Barnett
Master Electrician: Brent Smith

Tennessee Repertory Theatre
Andrew Johnson Theatre / TPAC

G870

Source 4 19deg	3	cuts
Source 4 26deg	16	cuts
65Q 6" Fres	5	cuts
Total:	24	cuts

L201

Source 4 36deg	21	cuts
Total:	21	cuts

R302

Lee Colortran Zoom	9	cuts
Total:	9	cuts

R08

65Q 6" Fres	6	cuts
Total:	6	cuts

R09

PAR 64 WFL	1	cut
Total:	1	cut

R51

Source 4 19deg	1	cut
65Q 6" Fres	18	cuts
Total:	19	cuts

R356

Source 4 19deg	4	cuts
Source 4 26deg	14	cuts
Source 4 36deg	1	cut
Total:	19	cuts

R57

Source 4 36deg	2	cuts
Altman R40 Strip	2	cuts
Total:	4	cuts

R61

Source 4 19deg	6	cuts
Source 4 36deg	4	cuts
Total:	10	cuts

R62

PAR 64 WFL	1	cut
Total:	1	cut

R362

Source 4 19deg	4	cuts
Source 4 26deg	14	cuts
Source 4 36deg	1	cut
Total:	19	cuts

R63			
	Lee Colortran Zoom	9	cuts
	Total:	9	cuts
R363			
	Lee Colortran Zoom	6	cuts
	Total:	6	cuts
R366			
	Lee Colortran Zoom	6	cuts
	Total:	6	cuts
R368			
	8" Fres	20	cuts
	Total:	20	cuts
R70			
	Source 4 19deg	6	cuts
	Source 4 36deg	2	cuts
	Total:	8	cuts
R72			
	Altman R40 Strip	2	cuts
	Total:	2	cuts
R75			
	Source 4 26deg	2	cuts
	Total:	2	cuts
R80			
	Altman R40 Strip	2	cuts
	Total:	2	cuts
R388			
	Source 4 26deg	2	cuts
	Source 4 36deg	1	cut
	Total:	3	cuts

Design: Michael Barnett
Master Electrician: Brent Smith

Tennessee Repertory Theatre
Andrew Johnson Theatre / TPAC

Grid A

R61
----- Source 4 19deg ----- 1 cut
Total: 1 cut

R70
----- Source 4 19deg ----- 1 cut
Total: 1 cut

Grid B

R61
----- Source 4 19deg ----- 2 cuts
Total: 2 cuts

R70
----- Source 4 19deg ----- 2 cuts
Total: 2 cuts

Grid C

R61
----- Source 4 19deg ----- 1 cut
Total: 1 cut

R70
----- Source 4 19deg ----- 1 cut
Total: 1 cut

Grid D

R302
----- Lee Colortran Zoom ----- 5 cuts
Total: 5 cuts

R362
----- Source 4 26deg ----- 5 cuts
Total: 5 cuts

R363
----- Lee Colortran Zoom ----- 3 cuts
Total: 3 cuts

R70
----- Source 4 19deg ----- 2 cuts
Total: 2 cuts

Grid E

G870

65Q 6" Fres	3	cuts
Total:	3	cuts

R51

65Q 6" Fres	3	cuts
Total:	3	cuts

R362

Source 4 26deg	5	cuts
Total:	5	cuts

R363

Lee Colortran Zoom	3	cuts
Total:	3	cuts

Grid F

G870

Source 4 26deg	2	cuts
Total:	2	cuts

R51

65Q 6" Fres	1	cut
Total:	1	cut

Grid G

G870

Source 4 26deg	4	cuts
Total:	4	cuts

R51

65Q 6" Fres	3	cuts
Total:	3	cuts

Grid H

G870

Source 4 26deg	8	cuts
Total:	8	cuts

L201

Source 4 36deg	2	cuts
Total:	2	cuts

R51

65Q 6" Fres	6	cuts
Total:	6	cuts

R368		
8" Fres	2	cuts
Total:	2	cuts

Grid J

G870		
Source 4 19deg	3	cuts
Source 4 26deg	2	cuts
Total:	5	cuts

L201		
Source 4 36deg	4	cuts
Total:	4	cuts

R08		
65Q 6" Fres	2	cuts
Total:	2	cuts

R51		
Source 4 19deg	1	cut
65Q 6" Fres	3	cuts
Total:	4	cuts

R368		
8" Fres	4	cuts
Total:	4	cuts

Grid K

G870		
65Q 6" Fres	2	cuts
Total:	2	cuts

R51		
65Q 6" Fres	2	cuts
Total:	2	cuts

R356		
Source 4 26deg	5	cuts
Total:	5	cuts

R366		
Lee Colortran Zoom	3	cuts
Total:	3	cuts

Grid L

R356

Source 4 26deg	5	cuts
Total:	5	cuts

R61

Source 4 19deg	2	cuts
Total:	2	cuts

R63

Lee Colortran Zoom	5	cuts
Total:	5	cuts

R366

Lee Colortran Zoom	3	cuts
Total:	3	cuts

Grid M

R302

Lee Colortran Zoom	4	cuts
Total:	4	cuts

R362

Source 4 19deg	4	cuts
Source 4 26deg	4	cuts
Source 4 36deg	1	cut
Total:	9	cuts

R75

Source 4 26deg	2	cuts
Total:	2	cuts

Grid N

L201

Source 4 36deg	8	cuts
Total:	8	cuts

R08

65Q 6" Fres	4	cuts
Total:	4	cuts

R368

8" Fres	8	cuts
Total:	8	cuts

Grid O

R356

Source 4 19deg	4	cuts
Source 4 26deg	4	cuts
Source 4 36deg	1	cut
Total:	9	cuts

R63

Lee Colortran Zoom	4	cuts
Total:	4	cuts

R388

Source 4 26deg	2	cuts
Total:	2	cuts

1st Electric

L201

Source 4 36deg	6	cuts
Total:	6	cuts

R61

Source 4 36deg	2	cuts
Total:	2	cuts

R368

8" Fres	6	cuts
Total:	6	cuts

2nd Electric

L201

Source 4 36deg	1	cut
Total:	1	cut

R09

PAR 64 WFL	1	cut
Total:	1	cut

R57

Source 4 36deg	2	cuts
Total:	2	cuts

R61

Source 4 36deg	2	cuts
Total:	2	cuts

R62

PAR 64 WFL	1	cut
Total:	1	cut

R70

Source 4 36deg	2	cuts
Total:	2	cuts

R388

Source 4 36deg	1	cut
Total:	1	cut

Floor Mount

R57

Altman R40 Strip	2	cuts
Total:	2	cuts

R72

Altman R40 Strip	2	cuts
Total:	2	cuts

R80

Altman R40 Strip	2	cuts
Total:	2	cuts

Design: Michael Barnett
Master Electrician: Brent Smith

Tennessee Repertory Theatre
Andrew Johnson Theatre / TPAC

G635

Source 4 36deg	2	templates
Total:	2	templates

G643

Source 4 36deg	20	templates
Total:	20	templates

G673

Source 4 36deg	4	templates
Total:	4	templates

R77216

Source 4 19deg	4	templates
Total:	4	templates

R77979

Source 4 19deg	4	templates
Total:	4	templates

R78047

Source 4 26deg	2	templates
Total:	2	templates

R78221

Source 4 26deg	2	templates
Total:	2	templates

R78448

Source 4 19deg	4	templates
Total:	4	templates

Design: Michael Barnett
Master Electrician: Brent Smith

Tennessee Repertory Theatre
Andrew Johnson Theatre / TPAC

Grid A

R77979

Source 4 19deg	1	template
Total:	1	template

R78448

Source 4 19deg	1	template
Total:	1	template

Grid B

R77979

Source 4 19deg	2	templates
Total:	2	templates

R78448

Source 4 19deg	2	templates
Total:	2	templates

Grid C

R77979

Source 4 19deg	1	template
Total:	1	template

R78448

Source 4 19deg	1	template
Total:	1	template

Grid D

R77216

Source 4 19deg	2	templates
Total:	2	templates

Grid H

G643

Source 4 36deg	2	templates
Total:	2	templates

Grid J

G643

Source 4 36deg	4	templates
Total:	4	templates

Grid L

R77216

Source 4 19deg	2	templates
Total:	2	templates

Grid M

R78047

Source 4 26deg	2	templates
Total:	2	templates

Grid N

G643

Source 4 36deg 8 templates

Total: 8 templates

Grid O

R78221

Source 4 26deg 2 templates

Total: 2 templates

1st Electric

G643

Source 4 36deg 6 templates

Total: 6 templates

2nd Electric

G635

Source 4 36deg 2 templates

Total: 2 templates




G673

Source 4 36deg 4 templates

Total: 4 templates

Superior Donuts Templates

Page 1 of 1

Picture	Number	Plot Number	Picture	Number	Plot Number
	GAM 643	1		Rosco 78448	2
	Moonscape			Old Screen	
	Rosco 77979	3		Rosco 77216	4
	Les Mis Grill 3			Pick Up Sticks	
	Rosco 78047	5		Rosco 78221	6
	Perspective Lines 2			Scattered Light	
	Gamcolor 673	7		Gamcolor 635	8
	Linear Breakup 2			Construction A	

Superior Donuts Lighting Cue List

<u>Cue #</u>	<u>Time</u>	<u>Description</u>	<u>Page</u>
1	4	House Up	9
2	4	House Half	9
3	3	Speaker Special Down	9
4	4	House Out	9
6	8	Sign Up When in Place	9
6.1	6	Follow to Fill Space w/ Door Up	9
8	20	Door Down w/ James "Calm down."	10
10	20	Door Up w/ Max "Arthur always help me..."	11
12	20	Door Down w/ Randy "Tuesday."	11
14	20	Door Up w/ Max "You are black man..."	12
20	6	Darker w/ Door Down w/ Shades Drawn	13
22	20	Door Up w/ Arthur "Mm. Ex-wife."	14
26	0	Snap Down w/ Lights Off w/ Switch	16
28	3/6	Lights Shift for Monologue w/ "The lights shift."	16
30	1/3	Restore Q26 w/ Bang on Door	16
32	0	Restore Q20 w/ Lights Turned On	17
42	3/6	Lights Shift for Monologue w/ "The lights shift."	22
44	1/3	Shift to Late Day w/ Door Up w/ Open Sign On w/ "Lights shift."	22
46	0	Open Sign Off w/ Door Down w/ Arthur Turning Sign Off	23
54	20	Door Up w/ Franco ""Dang, Arthur, your head's..."	27
56	20	Door Down w/ Franco "Pittsburgh Steelers?"	28
60	20	Door Up w/ Max "What has got inside me?"	30
62	20	Door Down w/ Franco "You're cold blooded..."	31
70	3/6	Lights Shift for Monologue w/ "The lights shift."	35
72	1/3	Restore Q60 Later w/ Luther Enter	35
74	20	Door Down w/ Kevin "How's it going?"	36
80	20	Door Up w/ Luther "...whackin' you on the head."	39
82	3/6	Lights Shift for Monologue w/ "The lights shift."	39
84	3	Fade Out w/ Arthur "Coward."	40
INTERMISSION			
86	4	House Up	40
88	4	House Half	40
90	4	House Out	40
INTERMISSION			
92	3	Up Dawn w/ Door Up w/ In Place	41
94	20	Door Down w/ Arthur "I read it."	41
98	3/6	Lights Shift for Monologue w/ "The lights shift."	43
100	1/3	Shift Later Morning w/ Arthur "...but it may be love, too..."	44
102	20	Door Up w/ Randy "Really good."	45
104	20	Door Down w/ James "All black folks know..."	46
106	20	Door Up w/ James "Nine! "	47
108	20	Door Down w/ Arthur "And how do you know..."	48
114	3/6	Lights Shift for Monologue w/ "The lights shift."	51

Superior Donuts Lighting Cue List

<u>Cue #</u>	<u>Time</u>	<u>Description</u>	<u>Page</u>
116	1/3	Shift Late Day w/ Door Up w/ Arthur "...thirteen years old."	51
118	20	Door Down w/ Arthur "Thank you."	52
120	20	Door Up w/ Lady "He's got a lot goin'..."	53
124	14/20	Shift Night w/ Door Up w/ Lady "Got it not champ?"	55
126	20	Door Down w/ Arthur "Wait here."	55
132	20	Door Up w/ Kevin "Don't get up."	58
134	20	Door Down w/ Luther "All right. Fuck it."	59
136	20	Door Up w/ Max "May I say one thing..."	60
138	14/20	Shift Mid-day Cold w/ Door Up w/ Max "Give it a rest!"	60
142	20	Door Down w/ James "Yeah, get yourself..."	62
144	20	Door Up w/ Max "Goddamn it..."	63
146	20	Door Down w/ Arthur "I think they finally..."	64
148	16	Slow Narrow to Table w/ Arthur "Look at me."	65
150	0	Blackout at End	65
152	3	Curtain Call	65
154	4	House Up	65

