

Equipment Request for *Red* - Tennessee Repertory Theatre

Description	Quantity
ETC Source Four 19 Degree	11
ETC Source Four 26 Degree	45
ETC Source Four 36 Degree	37
ETC Source Four 70 Degree	4
ETC Source Four 15-30 Degree Zoom	24
ETC Source Four 25-50 Degree Zoom	24
Strand 3380 6" Fresnel	8
Strand 3480 8" Fresnel	12
Colorado 2 Zoom Tour	18

Gobo Count (Size B)	Quantity
Forthcoming with Paperwork	

Gobo Count (Size A)	Quantity
Forthcoming with Paperwork	

Gel Frames	Quantity
6.25"	93
7.5"	50
10"	66

Pattern Holders	Quantity
Source Four A Size	72
Lee Colortran	0

Accessories	Quantity
Source Four Iris Kit	0
12" Sidearm	0
8" Fresnel Barndoor	12
6" Fresnel Barndoor	8
6.25" Tophats (LED)	18

Effects Equipment	Quantity
Forthcoming with Paperwork	

Notes

Please have Source Four ERS Size cuts of R132 on hand at focus. Please contact me with any questions.

Please provide twenty-five two-fer's for the space.

Prepared for Tennessee Repertory Theatre
Wednesday February 5, 2014

Production Dates: February 7, 2014 (Load In)
February 13-March 1, 2014 (Run)

Lighting Designer: Michael Barnett
Ldutk@mindspring.com - 615.491.1007



CHANNEL HOOKUP

Page 1 of 11

2/5/2014

Design: Michael Barnett
Tennessee Repertory Theatre

Tennessee Performing Arts Center
Andrew Johnson Theatre

Channel	Dm	Position	U#	Purp	Inst Type & Access & Watt	Color	Gobo
(1)		Grid E	11	A	Source Four Zoom 25°-50°+- 575w	 L201+ R132	-
(2)		Grid E	13	B	Source Four 26°+- 575w	 L201+ R132	-
(3)		Grid E	14	C	Source Four 19°+- 575w	 L201+ R132	-
(4)		Grid F	1	D	Source Four 26°+- 575w	 L201+ R132	-
(5)		Grid E	8	E	Source Four 36°+- 575w	 L201+ R132	-
(6)		Grid E	10	F	Source Four 26°+- 575w	 L201+ R132	-
(7)		Grid E	12	G	Source Four 19°+- 575w	 L201+ R132	-
(8)		Grid G	1	H	Source Four 26°+- 575w	 L201+ R132	-
(9)		Grid E	5	I	Source Four 36°+- 575w	 L201+ R132	-
(10)		Grid E	7	J	Source Four 26°+- 575w	 L201+ R132	-
(11)		Grid E	9	K	Source Four 19°+- 575w	 L201+ R132	-
(12)		Grid H	6	L	Source Four 26°+- 575w	 L201+ R132	-
(13)		Grid E	2	M	Source Four 36°+- 575w	 L201+ R132	-
(14)		Grid E	4	N	Source Four 26°+- 575w	 L201+ R132	-
(15)		Grid E	1	O	Source Four 26°+- 575w	 L201+ R132	-
(16)		Grid H	7	P	Source Four 26°+- 575w	 L201+ R132	-



CHANNEL HOOKUP

Page 2 of 11

2/5/2014

Channel	Dm	Position	U#	Purp	Inst Type & Access & Watt	Color	Gobo
(17)		Grid D	2	QR	Source Four 26°+- 575w	L201+ R132	-
(18)		Grid D	4	S	Source Four 26°+- 575w	L201+ R132	-
(19)		Grid D	5	T	Source Four 26°+- 575w	L201+ R132	-
(20)		Grid E	3	U	Source Four 26°+- 575w	L201+ R132	-
(21)		Grid N	22	V	Source Four 36°+- 575w	L201+ R132	-
(22)		Grid N	24	W	Source Four 36°+- 575w	L201+ R132	-
(31)		Grid F	2	A	Source Four 26°+- 575w	R54+ R132	-
(32)		Grid K	14	B	Source Four 26°+- 575w	R54+ R132	-
(33)		Grid K	13	C	Source Four 26°+- 575w	R54+ R132	-
(34)		Grid K	11	D	Source Four Zoom 25°-50°+- 575w	R54+ R132	-
(35)		Grid G	2	E	Source Four 26°+- 575w	R54+ R132	-
(36)		Grid K	12	F	Source Four 26°+- 575w	R54+ R132	-
(37)		Grid K	10	G	Source Four 26°+- 575w	R54+ R132	-
(38)		Grid K	8	H	Source Four 36°+- 575w	R54+ R132	-
(39)		Grid H	5	I	Source Four 26°+- 575w	R54+ R132	-
(40)		Grid K	9	J	Source Four 26°+- 575w	R54+ R132	-
(41)		Grid K	7	K	Source Four 26°+- 575w	R54+ R132	-
(42)		Grid K	6	L	Source Four 36°+- 575w	R54+ R132	-
(43)		Grid H	4	M	Source Four 26°+- 575w	R54+ R132	-
(44)		Grid K	2	N	Source Four 26°+- 575w	R54+ R132	-
(45)		Grid K	5	O	Source Four 26°+- 575w	R54+ R132	-



CHANNEL HOOKUP

Page 3 of 11

2/5/2014

Channel	Dm	Position	U#	Purp	Inst Type & Access & Watt	Color	Gobo
(46)		Grid K	3	P	Source Four 36°+- 575w	R54+ R132	-
(47)		Grid N	28	QR	Source Four 26°+- 575w	R54+ R132	-
(48)		Grid N	27	S	Source Four 36°+- 575w	R54+ R132	-
(49)		Grid K	4	T	Source Four 26°+- 575w	R54+ R132	-
(50)		Grid L	11	U	Source Four 26°+- 575w	R54+ R132	-
(51)		Grid L	9	VW	Source Four 26°+- 575w	R54+ R132	-
(61)		Grid D	11	A	Source Four 26°+- 575w	R356	R779 79
(62)		Grid E	15	B	Source Four 26°+- 575w	R356	R779 79
(63)		Grid J	23	C	Source Four 36°+- 575w	R356	R779 79
(64)		Grid J	10	D	Source Four 36°+- 575w	R356	R779 79
(65)		Grid M	1	E	Source Four 26°+- 575w	R356	R779 79
(66)		Grid M	2	F	Source Four 26°+- 575w	R356	R779 79
(67)		Grid M	3	G	Source Four 26°+- 575w	R356	R779 79
(68)		Grid J	9	H	Source Four 36°+- 575w	R356	R779 79
(69)		Grid M	4	I	Source Four 36°+- 575w	R356	R779 79
(70)		Grid N	1	J	Source Four 36°+- 575w	R356	R779 79
(71)		Grid N	11	K	Source Four 36°+- 575w	R356	R779 79
(72)		Grid N	5	L	Source Four 36°+- 575w	R356	R779 79



CHANNEL HOOKUP

Page 4 of 11

2/5/2014

Channel	Dm	Position	U#	Purp	Inst Type & Access & Watt	Color	Gobo
(73)		Grid M	5	M	Source Four 36°+- 575w	R356	R779 79
(74)		Grid N	3	N	Source Four 36°+- 575w	R356	R779 79
(75)		Grid N	6	O	Source Four 36°+- 575w	R356	R779 79
(76)		Grid N	8	P	Source Four 36°+- 575w	R356	R779 79
(77)		Grid M	6	QR	Source Four 26°+- 575w	R356	R779 79
(78)		1st Electric	3	S	Source Four 70°+- 575w	R356	R779 79
(79)		1st Electric	5	T	Source Four 70°+- 575w	R356	R779 79
(80)		Grid N	19	U	Source Four 26°+- 575w	R356	R779 79
(81)		Grid N	25	VW	Source Four 26°+- 575w	R356	R779 79
(91)		Grid J	1	A	Source Four 36°+- 575w	R64	G643
(92)		Grid J	24	B	Source Four 36°+- 575w	R64	G643
(93)		Grid K	1	C	Source Four 26°+- 575w	R64	G643
(94)		Grid L	1	D	Source Four 26°+- 575w	R64	G643
(95)		Grid J	2	E	Source Four 36°+- 575w	R64	G643
(96)		Grid O	4	F	Source Four 26°+- 575w	R64	G643
(97)		Grid O	3	G	Source Four 26°+- 575w	R64	G643
(98)		Grid O	5	H	Source Four 26°+- 575w	R64	G643
(99)		Grid N	7	I	Source Four 36°+- 575w	R64	G643
(100)		Grid N	13	J	Source Four 36°+- 575w	R64	G643
(101)		Grid N	10	K	Source Four 36°+- 575w	R64	G643



CHANNEL HOOKUP

Page 5 of 11

2/5/2014

Channel	Dm	Position	U#	Purp	Inst Type & Access & Watt	Color	Gobo
(102)		Grid O	2	L	Source Four 36°+- 575w	R64	G643
(103)		Grid N	2	M	Source Four 36°+- 575w	R64	G643
(104)		Grid N	4	N	Source Four 36°+- 575w	R64	G643
(105)		Grid N	9	O	Source Four 36°+- 575w	R64	G643
(106)		Grid O	1	P	Source Four 36°+- 575w	R64	G643
(107)		Grid M	7	QR	Source Four 26°+- 575w	R64	G643
(108)		1st Electric	4	S	Source Four 70°+- 575w	R64	G643
(109)		1st Electric	6	T	Source Four 70°+- 575w	R64	G643
(110)		Grid O	9	U	Source Four 26°+- 575w	R64	G643
(111)		Grid N	26	VW	Source Four 26°+- 575w	R64	G643
(131)		Grid D	7	AB	Source Four Zoom 25°-50°+- 575w	R68	-
(132)		Grid D	15	CD	Source Four Zoom 25°-50°+- 575w	R68	-
(133)		Grid D	3	EF	Source Four Zoom 25°-50°+- 575w	R68	-
(134)		Grid D	13	GH	Source Four Zoom 25°-50°+- 575w	R68	-
(135)		Grid D	1	IJ	Source Four Zoom 25°-50°+- 575w	R68	-
(136)		Grid D	12	KL	Source Four Zoom 25°-50°+- 575w	R68	-
(137)		Grid M	10	MN	Source Four Zoom 25°-50°+- 575w	R68	-
(138)		Grid M	11	OP	Source Four Zoom 25°-50°+- 575w	R68	-
(139)		Grid M	8	QR	Source Four Zoom 25°-50°+- 575w	R68	-
(140)		Grid M	12	ST	Source Four Zoom 25°-50°+- 575w	R68	-
(141)		Grid M	13	UV W	Source Four Zoom 25°-50°+- 575w	R68	-
(151)		Grid L	5	AB	Source Four Zoom 25°-50°+- 575w	R316	-



CHANNEL HOOKUP

Page 6 of 11

2/5/2014

Channel	Dm	Position	U#	Purp	Inst Type & Access & Watt	Color	Gobo
(152)		Grid L	13	CD	Source Four Zoom 25°-50°+- 575w	 R316	-
(153)		Grid L	3	EF	Source Four Zoom 25°-50°+- 575w	 R316	-
(154)		Grid L	10	GH	Source Four Zoom 25°-50°+- 575w	 R316	-
(155)		Grid L	2	IJ	Source Four Zoom 25°-50°+- 575w	 R316	-
(156)		Grid L	8	KL	Source Four Zoom 25°-50°+- 575w	 R316	-
(157)		Grid O	8	MN	Source Four Zoom 25°-50°+- 575w	 R316	-
(158)		Grid O	7	OP	Source Four Zoom 25°-50°+- 575w	 R316	-
(159)		Grid O	6	QR	Source Four Zoom 25°-50°+- 575w	 R316	-
(160)		Grid O	10	STU	Source Four Zoom 25°-50°+- 575w	 R316	-
(161)		Grid O	11	VW	Source Four Zoom 25°-50°+- 575w	 R316	-
(171)		Grid H	1	AB	COLORado 2 Zoom Tour+6.25"- TopHat* 183w	RGB	-
(172)		Grid H	2	BC	COLORado 2 Zoom Tour+6.25"- TopHat* 183w	RGB	-
(173)		Grid H	3	BC	COLORado 2 Zoom Tour+6.25"- TopHat* 183w	RGB	-
(174)		Grid J	21	EF	COLORado 2 Zoom Tour+6.25"- TopHat* 183w	RGB	-
(175)		Grid J	19	FG	COLORado 2 Zoom Tour+6.25"- TopHat* 183w	RGB	-
(176)		Grid J	22	GH	COLORado 2 Zoom Tour+6.25"- TopHat* 183w	RGB	-
(177)		Grid J	17	IJ	COLORado 2 Zoom Tour+6.25"- TopHat* 183w	RGB	-
(178)		Grid J	20	JK	COLORado 2 Zoom Tour+6.25"- TopHat* 183w	RGB	-
(179)		Grid J	18	KL	COLORado 2 Zoom Tour+6.25"- TopHat* 183w	RGB	-



CHANNEL HOOKUP

Page 7 of 11

2/5/2014

Channel	Dm	Position	U#	Purp	Inst Type & Access & Watt	Color	Gobo
(180)		Grid N	14	MN	COLORado 2 Zoom Tour+6.25"-TopHat* 183w	RGB	-
(181)		Grid N	16	NO	COLORado 2 Zoom Tour+6.25"-TopHat* 183w	RGB	-
(182)		Grid N	15	OP	COLORado 2 Zoom Tour+6.25"-TopHat* 183w	RGB	-
(183)		Grid M	9	QR	COLORado 2 Zoom Tour+- 183w	RGB	-
(184)		Grid N	20	ST	COLORado 2 Zoom Tour+6.25"-TopHat* 183w	RGB	-
(185)		Grid N	21	TU	COLORado 2 Zoom Tour+6.25"-TopHat* 183w	RGB	-
(186)		Grid N	23	VW	COLORado 2 Zoom Tour+6.25"-TopHat* 183w	RGB	-
(191)		Grid D	9	SET	Source Four Zoom 15°-30°+- 575w	R364	R778 11
(192)		Grid D	8	SET	Source Four Zoom 15°-30°+- 575w	R364	R778 11
(193)		Grid D	6	SET	Source Four Zoom 15°-30°+- 575w	R364	R778 11
(201)		Grid L	12	SET	Source Four Zoom 15°-30°+- 575w	R355	R778 11
(202)		Grid L	14	SET	Source Four Zoom 15°-30°+- 575w	R355	R778 11
(203)		Grid L	15	SET	Source Four Zoom 15°-30°+- 575w	R355	R778 11
(211)		Grid J	28	WIN D	8" Fresnel+- 2kw	R63	-
(212)		Grid J	13	WIN D	8" Fresnel+- 2kw	R63	-
(213)		Grid J	5	WIN D	8" Fresnel+- 2kw	R63	-
(214)		Grid J	31	WIN D	8" Fresnel+- 2kw	R63	-



CHANNEL HOOKUP

Page 8 of 11

2/5/2014

Channel	Dm	Position	U#	Purp	Inst Type & Access & Watt	Color	Gobo
(215)		Grid J	16	WIN D	8" Fresnel+- 2kw	R63	-
(216)		Grid J	8	WIN D	8" Fresnel+- 2kw	R63	-
(221)		Grid J	27	WIN D	8" Fresnel+- 2kw	R65	-
(222)		Grid J	12	WIN D	8" Fresnel+- 2kw	R65	-
(223)		Grid J	4	WIN D	8" Fresnel+- 2kw	R65	-
(224)		Grid J	30	WIN D	8" Fresnel+- 2kw	R65	-
(225)		Grid J	15	WIN D	8" Fresnel+- 2kw	R65	-
(226)		Grid J	7	WIN D	8" Fresnel+- 2kw	R65	-
(231)		Grid J	26	WIN D	Source Four 36°+- 575w	L202	G294
(232)		Grid J	11	WIN D	Source Four 36°+- 575w	L202	G294
(233)		Grid J	3	WIN D	Source Four 36°+- 575w	L202	G294
(234)		Grid J	29	WIN D	Source Four 36°+- 575w	L202	G294
(235)		Grid J	14	WIN D	Source Four 36°+- 575w	L202	G294
(236)		Grid J	6	WIN D	Source Four 36°+- 575w	L202	G294
(241)		3rd Electric	1	WIN D	Source Four Zoom 15°-30°+- 575w	R63	G294
(242)		3rd Electric	3	WIN D	Source Four Zoom 15°-30°+- 575w	R63	G294
(243)		3rd Electric	5	WIN D	Source Four Zoom 15°-30°+- 575w	R63	G294



CHANNEL HOOKUP

Page 9 of 11

2/5/2014

Channel	Dm	Position	U#	Purp	Inst Type & Access & Watt	Color	Gobo
(251)		3rd Electric	2	WIN D	Source Four Zoom 15°-30°+- 575w	R65	G294
(252)		3rd Electric	4	WIN D	Source Four Zoom 15°-30°+- 575w	R65	G294
(253)		3rd Electric	6	WIN D	Source Four Zoom 15°-30°+- 575w	R65	G294
(261)		3rd Electric	7	WIN D	Source Four Zoom 15°-30°+- 575w	L202	G294
(262)		3rd Electric	9	WIN D	Source Four Zoom 15°-30°+- 575w	L202	G294
(263)		3rd Electric	11	WIN D	Source Four Zoom 15°-30°+- 575w	L202	G294
(271)		3rd Electric	8	WIN D	Source Four Zoom 15°-30°+- 575w	R57	G294
(272)		3rd Electric	10	WIN D	Source Four Zoom 15°-30°+- 575w	R57	G294
(273)		3rd Electric	12	WIN D	Source Four Zoom 15°-30°+- 575w	R57	G294
(281)		Grid N	18	DO OR	Source Four 19°+- 575w	L201	-
(282)		Grid E	6	DO OR	Source Four 19°+- 575w	L201	-
(291)		Grid N	17	DO OR	Source Four 19°+- 575w	R54	-
(292)		Grid J	25	DO OR	Source Four 19°+- 575w	R54	-
(301)		2nd Electric	2	X	6" Fresnel+7.5 4 Leaf Barn Door 750w	R09	-
(302)		2nd Electric	4	Y	6" Fresnel+7.5 4 Leaf Barn Door 750w	R09	-
(303)		1st Electric	7	Z	6" Fresnel+7.5 4 Leaf Barn Door 750w	R09	-
(304)		1st Electric	1	CLO SET	6" Fresnel+7.5 4 Leaf Barn Door 750w	R09	-



CHANNEL HOOKUP

Page 10 of 11

2/5/2014

Channel	Dm	Position	U#	Purp	Inst Type & Access & Watt	Color	Gobo
(311)		2nd Electric	1	X	6" Fresnel+7.5 4 Leaf Barn Door 750w	R63	-
(312)		2nd Electric	3	Y	6" Fresnel+7.5 4 Leaf Barn Door 750w	R67	-
(313)		1st Electric	8	Z	6" Fresnel+7.5 4 Leaf Barn Door 750w	R67	-
(314)		1st Electric	2	CLO SET	6" Fresnel+7.5 4 Leaf Barn Door 750w	R63	-
(321)		Grid D	10	CAN VAS	Source Four 19°+- 575w	R132	-
(322)		Grid L	16	CAN VAS	Source Four 19°+- 575w	R132	-
(331)		Grid F	3	PAI NTI NG	Source Four 19°+- 575w	R132	-
(332)		Grid N	12	PAI NTI NG	Source Four 19°+- 575w	R132	-
(341)		Set Mount	1	LAM P	Hanging Lamp+- 100w	NC	-
(342)		Set Mount	2	LAM P	Hanging Lamp+- 100w	NC	-
(343)		Set Mount	3	LAM P	Hanging Lamp+- 100w	NC	-
(344)		Set Mount	4	LAM P	Hanging Lamp+- 100w	NC	-
(351)		Floor Mount	1	SCO OP	Scoop+- 1.5kw	NC	-
(352)		Floor Mount	2	SCO OP	Scoop+- 1.5kw	NC	-
(353)		Floor Mount	3	SCO OP	Scoop+- 1.5kw	NC	-
(354)		Floor Mount	4	SCO OP	Scoop+- 1.5kw	NC	-



CHANNEL HOOKUP

Page 11 of 11

2/5/2014

Channel	Dm	Position	U#	Purp	Inst Type & Access & Watt	Color	Gobo
(361)		Grid D	17	SET	Source Four Zoom 15°-30°+- 575w	 R08	G222 
(362)		Grid D	16	SET	Source Four Zoom 15°-30°+- 575w	 R08	G222 
(363)		Grid D	14	SET	Source Four Zoom 15°-30°+- 575w	 R08	G222 
(371)		Grid L	4	SET	Source Four Zoom 15°-30°+- 575w	 R58	G222 
(372)		Grid L	6	SET	Source Four Zoom 15°-30°+- 575w	 R58	G222 
(373)		Grid L	7	SET	Source Four Zoom 15°-30°+- 575w	 R58	G222 



INSTRUMENT SCHEDULE

2/5/2014

Design: Michael Barnett
Tennessee Repertory Theatre

Tennessee Performing Arts Center
Andrew Johnson Theatre

TABLE OF CONTENTS

Grid D	1	Grid M	8
Grid E	2	Grid N	9
Grid F	2	Grid O	11
Grid G	3	1st Electric	11
Grid H	3	3rd Electric	12
Grid J	4	2nd Electric	12
Grid K	6	Floor Mount	13
Grid L	7	Set Mount	13



INSTRUMENT SCHEDULE

Page 1 of 13

2/5/2014

Design: Michael Barnett
Tennessee Repertory Theatre

Tennessee Performing Arts Center
Andrew Johnson Theatre

Grid D

U#	Purp	Instrument Type & Accessory & Wattage	Color	Gobo	Dm	Chan
1	IJ	Source Four Zoom 25°-50°+- 575w	 R68	-		(135)
2	QR	Source Four 26°+- 575w	 L201+ R132	-		(17)
3	EF	Source Four Zoom 25°-50°+- 575w	 R68	-		(133)
4	S	Source Four 26°+- 575w	 L201+ R132	-		(18)
5	T	Source Four 26°+- 575w	 L201+ R132	-		(19)
6	SET	Source Four Zoom 15°-30°+- 575w	 R364	R77811 		(193)
7	AB	Source Four Zoom 25°-50°+- 575w	 R68	-		(131)
8	SET	Source Four Zoom 15°-30°+- 575w	 R364	R77811 		(192)
9	SET	Source Four Zoom 15°-30°+- 575w	 R364	R77811 		(191)
10	CAN VAS	Source Four 19°+- 575w	 R132	-		(321)
11	A	Source Four 26°+- 575w	 R356	R77979 		(61)
12	KL	Source Four Zoom 25°-50°+- 575w	 R68	-		(136)
13	GH	Source Four Zoom 25°-50°+- 575w	 R68	-		(134)
14	SET	Source Four Zoom 15°-30°+- 575w	 R08	G222 		(363)
15	CD	Source Four Zoom 25°-50°+- 575w	 R68	-		(132)
16	SET	Source Four Zoom 15°-30°+- 575w	 R08	G222 		(362)
17	SET	Source Four Zoom 15°-30°+- 575w	 R08	G222 		(361)



INSTRUMENT SCHEDULE

Page 2 of 13

2/5/2014

Grid E

U#	Purp	Instrument Type & Accessory & Wattage	Color	Gobo	Dm	Chan
1	O	Source Four 26°+- 575w	 L201+ R132	-		(15)
2	M	Source Four 36°+- 575w	 L201+ R132	-		(13)
3	U	Source Four 26°+- 575w	 L201+ R132	-		(20)
4	N	Source Four 26°+- 575w	 L201+ R132	-		(14)
5	I	Source Four 36°+- 575w	 L201+ R132	-		(9)
6	DOO R	Source Four 19°+- 575w	 L201	-		(282)
7	J	Source Four 26°+- 575w	 L201+ R132	-		(10)
8	E	Source Four 36°+- 575w	 L201+ R132	-		(5)
9	K	Source Four 19°+- 575w	 L201+ R132	-		(11)
10	F	Source Four 26°+- 575w	 L201+ R132	-		(6)
11	A	Source Four Zoom 25°-50°+- 575w	 L201+ R132	-		(1)
12	G	Source Four 19°+- 575w	 L201+ R132	-		(7)
13	B	Source Four 26°+- 575w	 L201+ R132	-		(2)
14	C	Source Four 19°+- 575w	 L201+ R132	-		(3)
15	B	Source Four 26°+- 575w	 R356	R77979 		(62)

Grid F

U#	Purp	Instrument Type & Accessory & Wattage	Color	Gobo	Dm	Chan
1	D	Source Four 26°+- 575w	 L201+ R132	-		(4)
2	A	Source Four 26°+- 575w	 R54+ R132	-		(31)
3	PAIN TING	Source Four 19°+- 575w	 R132	-		(331)



INSTRUMENT SCHEDULE

Page 3 of 13

2/5/2014

Grid G

U#	Purp	Instrument Type & Accessory & Wattage	Color	Gobo	Dm	Chan
1	H	Source Four 26°+- 575w	 L201+ R132	-		(8)
2	E	Source Four 26°+- 575w	 R54+ R132	-		(35)

Grid H

U#	Purp	Instrument Type & Accessory & Wattage	Color	Gobo	Dm	Chan
1	AB	COLORado 2 Zoom Tour+6.25"-TopHat* 183w	RGB	-		(171)
2	BC	COLORado 2 Zoom Tour+6.25"-TopHat* 183w	RGB	-		(172)
3	BC	COLORado 2 Zoom Tour+6.25"-TopHat* 183w	RGB	-		(173)
4	M	Source Four 26°+- 575w	 R54+ R132	-		(43)
5	I	Source Four 26°+- 575w	 R54+ R132	-		(39)
6	L	Source Four 26°+- 575w	 L201+ R132	-		(12)
7	P	Source Four 26°+- 575w	 L201+ R132	-		(16)



INSTRUMENT SCHEDULE

Page 4 of 13

2/5/2014

Grid J

U#	Purp	Instrument Type & Accessory & Wattage	Color	Gobo	Dm	Chan
1	A	Source Four 36°+- 575w	R64	G643		(91)
2	E	Source Four 36°+- 575w	R64	G643		(95)
3	WIND	Source Four 36°+- 575w	L202	G294		(233)
4	WIND	8" Fresnel+- 2kw	R65	-		(223)
5	WIND	8" Fresnel+- 2kw	R63	-		(213)
6	WIND	Source Four 36°+- 575w	L202	G294		(236)
7	WIND	8" Fresnel+- 2kw	R65	-		(226)
8	WIND	8" Fresnel+- 2kw	R63	-		(216)
9	H	Source Four 36°+- 575w	R356	R77979		(68)
10	D	Source Four 36°+- 575w	R356	R77979		(64)
11	WIND	Source Four 36°+- 575w	L202	G294		(232)
12	WIND	8" Fresnel+- 2kw	R65	-		(222)
13	WIND	8" Fresnel+- 2kw	R63	-		(212)
14	WIND	Source Four 36°+- 575w	L202	G294		(235)
15	WIND	8" Fresnel+- 2kw	R65	-		(225)
16	WIND	8" Fresnel+- 2kw	R63	-		(215)
17	IJ	COLORado 2 Zoom Tour+6.25"-TopHat* 183w	RGB	-		(177)
18	KL	COLORado 2 Zoom Tour+6.25"-TopHat* 183w	RGB	-		(179)
19	FG	COLORado 2 Zoom Tour+6.25"-TopHat* 183w	RGB	-		(175)
20	JK	COLORado 2 Zoom Tour+6.25"-TopHat* 183w	RGB	-		(178)
21	EF	COLORado 2 Zoom Tour+6.25"-TopHat* 183w	RGB	-		(174)



INSTRUMENT SCHEDULE

Page 5 of 13

2/5/2014

Grid J

U#	Purp	Instrument Type & Accessory & Wattage	Color	Gobo	Dm	Chan
22	GH	COLORado 2 Zoom Tour+6.25"-TopHat* 183w	RGB	-		(176)
23	C	Source Four 36°+- 575w	 R356	R77979		(63)
24	B	Source Four 36°+- 575w	 R64	G643		(92)
25	DOO R	Source Four 19°+- 575w	 R54	-		(292)
26	WIND	Source Four 36°+- 575w	 L202	G294		(231)
27	WIND	8" Fresnel+- 2kw	 R65	-		(221)
28	WIND	8" Fresnel+- 2kw	 R63	-		(211)
29	WIND	Source Four 36°+- 575w	 L202	G294		(234)
30	WIND	8" Fresnel+- 2kw	 R65	-		(224)
31	WIND	8" Fresnel+- 2kw	 R63	-		(214)



INSTRUMENT SCHEDULE

Page 6 of 13

2/5/2014

Grid K

U#	Purp	Instrument Type & Accessory & Wattage	Color	Gobo	Dm	Chan
1	C	Source Four 26°+- 575w	 R64	G643		(93)
2	N	Source Four 26°+- 575w	 R54+ R132	-		(44)
3	P	Source Four 36°+- 575w	 R54+ R132	-		(46)
4	T	Source Four 26°+- 575w	 R54+ R132	-		(49)
5	O	Source Four 26°+- 575w	 R54+ R132	-		(45)
6	L	Source Four 36°+- 575w	 R54+ R132	-		(42)
7	K	Source Four 26°+- 575w	 R54+ R132	-		(41)
8	H	Source Four 36°+- 575w	 R54+ R132	-		(38)
9	J	Source Four 26°+- 575w	 R54+ R132	-		(40)
10	G	Source Four 26°+- 575w	 R54+ R132	-		(37)
11	D	Source Four Zoom 25°-50°+- 575w	 R54+ R132	-		(34)
12	F	Source Four 26°+- 575w	 R54+ R132	-		(36)
13	C	Source Four 26°+- 575w	 R54+ R132	-		(33)
14	B	Source Four 26°+- 575w	 R54+ R132	-		(32)



INSTRUMENT SCHEDULE

Page 7 of 13

2/5/2014

Grid L

U#	Purp	Instrument Type & Accessory & Wattage	Color	Gobo	Dm	Chan
1	D	Source Four 26°+- 575w	 R64	G643		(94)
2	IJ	Source Four Zoom 25°-50°+- 575w	 R316	-		(155)
3	EF	Source Four Zoom 25°-50°+- 575w	 R316	-		(153)
4	SET	Source Four Zoom 15°-30°+- 575w	 R58	G222		(371)
5	AB	Source Four Zoom 25°-50°+- 575w	 R316	-		(151)
6	SET	Source Four Zoom 15°-30°+- 575w	 R58	G222		(372)
7	SET	Source Four Zoom 15°-30°+- 575w	 R58	G222		(373)
8	KL	Source Four Zoom 25°-50°+- 575w	 R316	-		(156)
9	VW	Source Four 26°+- 575w	 R54+ R132	-		(51)
10	GH	Source Four Zoom 25°-50°+- 575w	 R316	-		(154)
11	U	Source Four 26°+- 575w	 R54+ R132	-		(50)
12	SET	Source Four Zoom 15°-30°+- 575w	 R355	R77811		(201)
13	CD	Source Four Zoom 25°-50°+- 575w	 R316	-		(152)
14	SET	Source Four Zoom 15°-30°+- 575w	 R355	R77811		(202)
15	SET	Source Four Zoom 15°-30°+- 575w	 R355	R77811		(203)
16	CAN VAS	Source Four 19°+- 575w	 R132	-		(322)



INSTRUMENT SCHEDULE

Page 8 of 13

2/5/2014

Grid M

U#	Purp	Instrument Type & Accessory & Wattage	Color	Gobo	Dm	Chan
1	E	Source Four 26°+- 575w	 R356	R77979		(65)
2	F	Source Four 26°+- 575w	 R356	R77979		(66)
3	G	Source Four 26°+- 575w	 R356	R77979		(67)
4	I	Source Four 36°+- 575w	 R356	R77979		(69)
5	M	Source Four 36°+- 575w	 R356	R77979		(73)
6	QR	Source Four 26°+- 575w	 R356	R77979		(77)
7	QR	Source Four 26°+- 575w	 R64	G643		(107)
8	QR	Source Four Zoom 25°-50°+- 575w	 R68	-		(139)
9	QR	COLOrado 2 Zoom Tour+- 183w	RGB	-		(183)
10	MN	Source Four Zoom 25°-50°+- 575w	 R68	-		(137)
11	OP	Source Four Zoom 25°-50°+- 575w	 R68	-		(138)
12	ST	Source Four Zoom 25°-50°+- 575w	 R68	-		(140)
13	UVW	Source Four Zoom 25°-50°+- 575w	 R68	-		(141)



INSTRUMENT SCHEDULE

Page 9 of 13

2/5/2014

Grid N

U#	Purp	Instrument Type & Accessory & Wattage	Color	Gobo	Dm	Chan
1	J	Source Four 36°+- 575w	 R356	R77979		(70)
2	M	Source Four 36°+- 575w	 R64	G643		(103)
3	N	Source Four 36°+- 575w	 R356	R77979		(74)
4	N	Source Four 36°+- 575w	 R64	G643		(104)
5	L	Source Four 36°+- 575w	 R356	R77979		(72)
6	O	Source Four 36°+- 575w	 R356	R77979		(75)
7	I	Source Four 36°+- 575w	 R64	G643		(99)
8	P	Source Four 36°+- 575w	 R356	R77979		(76)
9	O	Source Four 36°+- 575w	 R64	G643		(105)
10	K	Source Four 36°+- 575w	 R64	G643		(101)
11	K	Source Four 36°+- 575w	 R356	R77979		(71)
12	PAIN TING	Source Four 19°+- 575w	 R132	-		(332)
13	J	Source Four 36°+- 575w	 R64	G643		(100)
14	MN	COLOrado 2 Zoom Tour+6.25"-TopHat* 183w	RGB	-		(180)
15	OP	COLOrado 2 Zoom Tour+6.25"-TopHat* 183w	RGB	-		(182)
16	NO	COLOrado 2 Zoom Tour+6.25"-TopHat* 183w	RGB	-		(181)
17	DOO R	Source Four 19°+- 575w	 R54	-		(291)
18	DOO R	Source Four 19°+- 575w	 L201	-		(281)



INSTRUMENT SCHEDULE

Page 10 of 13

2/5/2014

Grid N

U#	Purp	Instrument Type & Accessory & Wattage	Color	Gobo	Dm	Chan
19	U	Source Four 26°+- 575w	 R356	R77979		(80)
20	ST	COLORado 2 Zoom Tour+6.25"-TopHat* 183w	RGB	-		(184)
21	TU	COLORado 2 Zoom Tour+6.25"-TopHat* 183w	RGB	-		(185)
22	V	Source Four 36°+- 575w	 L201+ R132	-		(21)
23	VW	COLORado 2 Zoom Tour+6.25"-TopHat* 183w	RGB	-		(186)
24	W	Source Four 36°+- 575w	 L201+ R132	-		(22)
25	VW	Source Four 26°+- 575w	 R356	R77979		(81)
26	VW	Source Four 26°+- 575w	 R64	G643		(111)
27	S	Source Four 36°+- 575w	 R54+ R132	-		(48)
28	QR	Source Four 26°+- 575w	 R54+ R132	-		(47)



INSTRUMENT SCHEDULE

Page 11 of 13

2/5/2014

Grid O

U#	Purp	Instrument Type & Accessory & Wattage	Color	Gobo	Dm	Chan
1	P	Source Four 36°+- 575w	 R64	G643		(106)
2	L	Source Four 36°+- 575w	 R64	G643		(102)
3	G	Source Four 26°+- 575w	 R64	G643		(97)
4	F	Source Four 26°+- 575w	 R64	G643		(96)
5	H	Source Four 26°+- 575w	 R64	G643		(98)
6	QR	Source Four Zoom 25°-50°+- 575w	 R316	-		(159)
7	OP	Source Four Zoom 25°-50°+- 575w	 R316	-		(158)
8	MN	Source Four Zoom 25°-50°+- 575w	 R316	-		(157)
9	U	Source Four 26°+- 575w	 R64	G643		(110)
10	STU	Source Four Zoom 25°-50°+- 575w	 R316	-		(160)
11	VW	Source Four Zoom 25°-50°+- 575w	 R316	-		(161)

1st Electric

U#	Purp	Instrument Type & Accessory & Wattage	Color	Gobo	Dm	Chan
1	CLO SET	6" Fresnel+7.5 4 Leaf Barn Door 750w	 R09	-		(304)
2	CLO SET	6" Fresnel+7.5 4 Leaf Barn Door 750w	 R63	-		(314)
3	S	Source Four 70°+- 575w	 R356	R77979		(78)
4	S	Source Four 70°+- 575w	 R64	G643		(108)
5	T	Source Four 70°+- 575w	 R356	R77979		(79)
6	T	Source Four 70°+- 575w	 R64	G643		(109)
7	Z	6" Fresnel+7.5 4 Leaf Barn Door 750w	 R09	-		(303)
8	Z	6" Fresnel+7.5 4 Leaf Barn Door 750w	 R67	-		(313)



INSTRUMENT SCHEDULE

Page 12 of 13

2/5/2014

3rd Electric

U#	Purp	Instrument Type & Accessory & Wattage	Color	Gobo	Dm	Chan
1	WIND	Source Four Zoom 15°-30°+- 575w	 R63	G294		(241)
2	WIND	Source Four Zoom 15°-30°+- 575w	 R65	G294		(251)
3	WIND	Source Four Zoom 15°-30°+- 575w	 R63	G294		(242)
4	WIND	Source Four Zoom 15°-30°+- 575w	 R65	G294		(252)
5	WIND	Source Four Zoom 15°-30°+- 575w	 R63	G294		(243)
6	WIND	Source Four Zoom 15°-30°+- 575w	 R65	G294		(253)
7	WIND	Source Four Zoom 15°-30°+- 575w	 L202	G294		(261)
8	WIND	Source Four Zoom 15°-30°+- 575w	 R57	G294		(271)
9	WIND	Source Four Zoom 15°-30°+- 575w	 L202	G294		(262)
10	WIND	Source Four Zoom 15°-30°+- 575w	 R57	G294		(272)
11	WIND	Source Four Zoom 15°-30°+- 575w	 L202	G294		(263)
12	WIND	Source Four Zoom 15°-30°+- 575w	 R57	G294		(273)

2nd Electric

U#	Purp	Instrument Type & Accessory & Wattage	Color	Gobo	Dm	Chan
1	X	6" Fresnel+7.5 4 Leaf Barn Door 750w	 R63	-		(311)
2	X	6" Fresnel+7.5 4 Leaf Barn Door 750w	 R09	-		(301)
3	Y	6" Fresnel+7.5 4 Leaf Barn Door 750w	 R67	-		(312)
4	Y	6" Fresnel+7.5 4 Leaf Barn Door 750w	 R09	-		(302)



INSTRUMENT SCHEDULE

Page 13 of 13

2/5/2014

Floor Mount

U#	Purp	Instrument Type & Accessory & Wattage	Color	Gobo	Dm	Chan
1	SCO OP	Scoop+- 1.5kw	NC	-		(351)
2	SCO OP	Scoop+- 1.5kw	NC	-		(352)
3	SCO OP	Scoop+- 1.5kw	NC	-		(353)
4	SCO OP	Scoop+- 1.5kw	NC	-		(354)

Set Mount

U#	Purp	Instrument Type & Accessory & Wattage	Color	Gobo	Dm	Chan
1	LAM P	Hanging Lamp+- 100w	NC	-		(341)
2	LAM P	Hanging Lamp+- 100w	NC	-		(342)
3	LAM P	Hanging Lamp+- 100w	NC	-		(343)
4	LAM P	Hanging Lamp+- 100w	NC	-		(344)



INSTRUMENT TYPE COUNT

Page 1 of 1

2/5/2014

Design: Michael Barnett
Tennessee Repertory Theatre

Tennessee Performing Arts Center
Andrew Johnson Theatre

INSTRUMENT TYPE COUNT

Qty	Instrument Type	Watt		
11	Source Four 19°	575w	11	Total
45	Source Four 26°	575w	45	Total
37	Source Four 36°	575w	37	Total
4	Source Four 70°	575w	4	Total
24	Source Four Zoom 15°-30°	575w	24	Total
24	Source Four Zoom 25°-50°	575w	24	Total
8	6" Fresnel	750w	8	Total
12	8" Fresnel	2kw	12	Total
16	COLORado 2 Zoom Tour	183w	16	Total
4	Hanging Lamp	100w	4	Total
4	Scoop	1.5kw	4	Total
TOTAL LIGHTS:			189	



ACCESSORY COUNT

Page 1 of 1

2/5/2014

Design: Michael Barnett
Tennessee Repertory Theatre

Tennessee Performing Arts Center
Andrew Johnson Theatre

ACCESSORY COUNT

7.5 4 Leaf Barn Door

8 for 6" Fresnel

8 Total

6.25"-TopHat*

15 for COLORado 2 Zoom Tour

15 Total



COLOR COUNT

Page 1 of 4

2/5/2014

Design: Michael Barnett
Tennessee Repertory Theatre

Tennessee Performing Arts Center
Andrew Johnson Theatre

COLOR COUNT

Color Cuts

 L201	
Source Four 19°	5 cuts
Source Four 26°	13 cuts
Source Four 36°	5 cuts
Source Four Zoom 25°-50°	1 cut
Total:	24 cuts

 L202	
Source Four 36°	6 cuts
Source Four Zoom 15°-30°	3 cuts
Total:	9 cuts

 R08	
Source Four Zoom 15°-30°	3 cuts
Total:	3 cuts

 R09	
6" Fresnel	4 cuts
Total:	4 cuts

 R316	
Source Four Zoom 25°-50°	11 cuts
Total:	11 cuts

 R54	
Source Four 19°	2 cuts
Source Four 26°	16 cuts
Source Four 36°	4 cuts
Source Four Zoom 25°-50°	1 cut
Total:	23 cuts



COLOR COUNT

Page 2 of 4

2/5/2014

 R355		
	Source Four Zoom 15°-30°	3 cuts
	Total:	3 cuts
 R356		
	Source Four 26°	8 cuts
	Source Four 36°	11 cuts
	Source Four 70°	2 cuts
	Total:	21 cuts
 R57		
	Source Four Zoom 15°-30°	3 cuts
	Total:	3 cuts
 R58		
	Source Four Zoom 15°-30°	3 cuts
	Total:	3 cuts
 R63		
	Source Four Zoom 15°-30°	3 cuts
	6" Fresnel	2 cuts
	8" Fresnel	6 cuts
	Total:	11 cuts
 R64		
	Source Four 26°	8 cuts
	Source Four 36°	11 cuts
	Source Four 70°	2 cuts
	Total:	21 cuts
 R364		
	Source Four Zoom 15°-30°	3 cuts
	Total:	3 cuts



COLOR COUNT

Page 3 of 4

2/5/2014



R65

Source Four Zoom 15°-30°	3 cuts
8" Fresnel	6 cuts

Total:	9 cuts
--------	--------



R67

6" Fresnel	2 cuts
------------	--------

Total:	2 cuts
--------	--------



R68

Source Four Zoom 25°-50°	11 cuts
--------------------------	---------

Total:	11 cuts
--------	---------



R132

Source Four 19°	7 cuts
Source Four 26°	29 cuts
Source Four 36°	9 cuts
Source Four Zoom 25°-50°	2 cuts

Total:	47 cuts
--------	---------



COLOR COUNT

Page 4 of 4

2/5/2014

COLOR FRAMES

Instrument Type	Frame Label	Size	Per Ckt	Per Sheet
Source Four 19°			1	
Source Four 26°			1	
Source Four 36°			1	
Source Four 70°			1	
Source Four Zoom 15°-30°			1	
Source Four Zoom 25°-50°			1	
6" Fresnel			1	
8" Fresnel			1	
COLORado 2 Zoom Tour			1	
Hanging Lamp			1	
Scoop			1	



GOBO COUNT

Page 1 of 2

2/5/2014

Design: Michael Barnett
Tennessee Repertory Theatre

Tennessee Performing Arts Center
Andrew Johnson Theatre

GOBO COUNT

G222
Small Breakup

6 for Source Four Zoom 15°-30°

6 Total



G294
Summer Leaves

6 for Source Four 36°

12 for Source Four Zoom 15°-30°

18 Total



G643
Moonscape

8 for Source Four 26°

11 for Source Four 36°

2 for Source Four 70°

21 Total





GOBO COUNT

Page 2 of 2


2/5/2014

R77811

Soft Breakup

6 for Source Four Zoom 15°-30°

6 Total



R77979


Les Mis Grill 3


8 for Source Four 26°

11 for Source Four 36°

2 for Source Four 70°

21 Total





Red Lighting Cue List

<u>Cue #</u>	<u>Time</u>	<u>Description</u>	<u>Page</u>
1	4	House Up	4
2	4	House Half	4
3	4	House Out	4
4	6	Up - Focus Painting w/ In Place	4
6	10	Spread Morning w/ Entry w/ In Place	4
8	6	Dim Lights w/ Rothko Lowering Lights	4
10	4	Brighter (Dimmer Than Q4) w/ Rothko Turning Lights Up	5
18	6/8	Transition Up w/ End of Scene	11
20	6	Up Noon w/ Entry w/ In Place	12
24	0	Flouorescents On w/ Ken Switch	14
26	0	Restore Q20 w/ Rothko Switch	15
38	6/8	Transition Up w/ End of Scene	21
40	6	Up Cool Morning w/ Entry w/ In Place	22
58	6/8	Transition Up w/ End of Scene	38
60	6	Up Dark Afternoon w/ Entry w/ In Place	39
78	6/8	Transition Up w/ End of Scene	50
80	6	Up Dark (Night) w/ Entry w/ In Place	51
82	0	Lights Up w/ Ken Turning on Lights	51
94	6/10	Narrow to Painting w/ Rothko Moving to Central Painting	56
98	6	Fade Out w/ End of Scene	56
100	3	Curtain Call	56
102	4	House Up	56