



CHANNEL HOOKUP

Page 1 of 11

1/28/2015

Nashville Repertory Theatre
Design: Michael Barnett

Tennessee Performing Arts Center
ME: Brandon Webb

Channel	Position	U#	Purp	Inst Type & Access & Watt	Color	Gobo
(1)	Grid D	13	A	Source Four 26°+- 575w	R355+R132	-
(2)	Grid E	7	B	Source Four 26°+- 575w	R355+R132	-
(3)	Grid E	15	C	Source Four 26°+- 575w	R355+R132	-
(4)	Grid G	3	D	Source Four 26°+- 575w	R355+R132	-
(5)	Grid D	11	E	Source Four 26°+- 575w	R355+R132	-
(6)	Grid E	6	F	Source Four 26°+- 575w	R355+R132	-
(7)	Grid E	14	G	Source Four 26°+- 575w	R355+R132	-
(8)	Grid G	1	H	Source Four 26°+- 575w	R355+R132	-
(9)	Grid D	8	I	Source Four 26°+- 575w	R355+R132	-
(10)	Grid E	4	J	Source Four 26°+- 575w	R355+R132	-
(11)	Grid E	13	K	Source Four 26°+- 575w	R355+R132	-
(12)	Grid H	15	L	Source Four 26°+- 575w	R355+R132	-
(13)	Grid D	3	M	Source Four 26°+- 575w	R355+R132	-
(14)	Grid D	5	N	Source Four 26°+- 575w	R355+R132	-
(15)	Grid E	2	O	Source Four 26°+- 575w	R355+R132	-
(16)	Grid E	12	P	Source Four 26°+- 575w	R355+R132	-
(17)	Grid J	15	Q	Source Four 26°+- 575w	R355+R132	-
(18)	Grid M	7	R	Source Four 26°+- 575w	R355+R132	-
(19)	Grid M	10	S	Source Four 26°+- 575w	R355+R132	-
(20)	Grid M	11	T	Source Four 26°+- 575w	R355+R132	-
(21)	Grid M	12	U	Source Four 26°+- 575w	R355+R132	-



CHANNEL HOOKUP

Page 2 of 11

1/28/2015

Channel	Position	U#	Purp	Inst Type & Access & Watt	Color	Gobo
(22)	Grid M	13	VW	Source Four 26°+- 575w	R355+R132	-
(31)	Grid G	4	A	Source Four 26°+- 575w	L201+R132	-
(32)	Grid K	6	B	Source Four 26°+- 575w	L201+R132	-
(33)	Grid K	15	C	Source Four 26°+- 575w	L201+R132	-
(34)	Grid L	17	D	Source Four 26°+- 575w	L201+R132	-
(35)	Grid G	2	E	Source Four 26°+- 575w	L201+R132	-
(36)	Grid K	4	F	Source Four 26°+- 575w	L201+R132	-
(37)	Grid K	13	G	Source Four 26°+- 575w	L201+R132	-
(38)	Grid L	16	H	Source Four 26°+- 575w	L201+R132	-
(39)	Grid H	16	I	Source Four 26°+- 575w	L201+R132	-
(40)	Grid K	3	J	Source Four 26°+- 575w	L201+R132	-
(41)	Grid K	11	K	Source Four 26°+- 575w	L201+R132	-
(42)	Grid L	15	L	Source Four 26°+- 575w	L201+R132	-
(43)	Grid J	17	M	Source Four 26°+- 575w	L201+R132	-
(44)	Grid J	16	N	Source Four 26°+- 575w	L201+R132	-
(45)	Grid K	2	O	Source Four 26°+- 575w	L201+R132	-
(46)	Grid K	9	P	Source Four 26°+- 575w	L201+R132	-
(47)	Grid L	13	Q	Source Four 26°+- 575w	L201+R132	-
(48)	Grid O	7	R	Source Four 26°+- 575w	L201+R132	-
(49)	Grid O	8	S	Source Four 26°+- 575w	L201+R132	-
(50)	Grid O	9	T	Source Four 26°+- 575w	L201+R132	-
(51)	Grid O	12	U	Source Four 26°+- 575w	L201+R132	-



CHANNEL HOOKUP

Page 3 of 11

1/28/2015

Channel	Position	U#	Purp	Inst Type & Access & Watt	Color	Gobo
(52)	Grid O	6	VW	Source Four 26°+- 575w	L201+R132	-
(61)	Grid A	1	AB	Source Four 26°+- 575w	R57	G636
	"	2	CD	"	"	"
(62)	Grid D	14	EF	Source Four 26°+- 575w	R57	G636
	Grid E	10	GH	"	"	"
(63)	Grid D	12	IJ	Source Four 26°+- 575w	R57	G636
	Grid E	8	KL	"	"	"
(64)	Grid D	9	M	Source Four 26°+- 575w	R57	G636
(65)	Grid D	10	NO	Source Four 26°+- 575w	R57	G636
	Grid E	5	PQ	"	"	"
(66)	Grid D	6	RS	Source Four 26°+- 575w	R57	G636
	Grid E	3	TU	"	"	"
(71)	Grid K	16	AB	Source Four 36°+- 575w	R99	G697
	Grid L	9	CD	"	"	"
(72)	Grid K	14	EF	Source Four 36°+- 575w	R99	G697
	Grid L	8	GH	"	"	"
(73)	Grid K	12	IJ	Source Four 36°+- 575w	R99	G697
	Grid L	7	KL	"	"	"
(74)	Grid J	18	M	Source Four 26°+- 575w	R99	G697
(75)	Grid K	10	NO	Source Four 36°+- 575w	R99	G697
	Grid L	5	PQ	"	"	"
(76)	Grid K	8	RS	Source Four 36°+- 575w	R99	G697
	Grid L	3	TU	"	"	"



CHANNEL HOOKUP

Page 4 of 11

1/28/2015

Channel	Position	U#	Purp	Inst Type & Access & Watt	Color	Gobo
(81)	Grid D	7	AB	Source Four Zoom 25°-50°+- 575w	R363	-
	"	18	CD	Source Four Zoom 15°-30°+- 575w	"	"
(82)	Grid D	4	EF	Source Four Zoom 25°-50°+- 575w	R363	-
	"	17	GH	Source Four Zoom 15°-30°+- 575w	"	"
(83)	Grid D	2	IJ	Source Four Zoom 25°-50°+- 575w	R363	-
	"	16	KL	Source Four Zoom 15°-30°+- 575w	"	"
(84)	Grid M	4	OP Q	Source Four Zoom 15°-30°+- 575w	R363	-
	"	6	MN	Source Four Zoom 25°-50°+- 575w	"	"
(85)	Grid M	8	RS	Source Four Zoom 25°-50°+- 575w	R363	-
	"	9	TUV	Source Four Zoom 15°-30°+- 575w	"	"
(91)	Grid L	6	AB	Source Four Zoom 15°-30°+- 575w	R67	-
	"	14	CD	Source Four Zoom 25°-50°+- 575w	"	"
(92)	Grid L	4	EF	Source Four Zoom 15°-30°+- 575w	R67	-
	"	12	GH	Source Four Zoom 25°-50°+- 575w	"	"
(93)	Grid L	2	IJ	Source Four Zoom 15°-30°+- 575w	R67	-
	"	11	KL	Source Four Zoom 25°-50°+- 575w	"	"
(94)	Grid O	4	MN O	Source Four Zoom 15°-30°+- 575w	R67	-
	"	5	QP	Source Four Zoom 25°-50°+- 575w	"	"
(95)	Grid O	10	RS	Source Four Zoom 15°-30°+- 575w	R67	-
	"	11	TU	Source Four Zoom 25°-50°+- 575w	"	"
(101)	Grid H	2	A	8" Fresnel+10" Barn Door 2kw	R65	-
(102)	Grid H	5	B	8" Fresnel+10" Barn Door 2kw	R65	-
(103)	Grid H	8	C	8" Fresnel+10" Barn Door 2kw	R65	-



CHANNEL HOOKUP

Page 5 of 11

1/28/2015

Channel	Position	U#	Purp	Inst Type & Access & Watt	Color	Gobo
(104)	Grid H	11	D	8" Fresnel+10" Barn Door 2kw	R65	-
(105)	Grid J	2	E	8" Fresnel+10" Barn Door 2kw	R65	-
(106)	Grid J	5	F	8" Fresnel+10" Barn Door 2kw	R65	-
(107)	Grid J	8	G	8" Fresnel+10" Barn Door 2kw	R65	-
(108)	Grid J	11	H	8" Fresnel+10" Barn Door 2kw	R65	-
(109)	Grid N	2	I	8" Fresnel+10" Barn Door 2kw	R65	-
(110)	Grid N	5	J	8" Fresnel+10" Barn Door 2kw	R65	-
(111)	Grid N	8	K	8" Fresnel+10" Barn Door 2kw	R65	-
(112)	Grid N	11	L	8" Fresnel+10" Barn Door 2kw	R65	-
(113)	Grid M	15	M	8" Fresnel+10" Barn Door 2kw	R65	-
(114)	Grid N	19	N	8" Fresnel+10" Barn Door 2kw	R65	-
(115)	Grid N	22	O	8" Fresnel+10" Barn Door 2kw	R65	-
(116)	Grid N	25	P	8" Fresnel+10" Barn Door 2kw	R65	-
(117)	Grid N	28	Q	8" Fresnel+10" Barn Door 2kw	R65	-
(118)	1st Electric	4	R	6" Fresnel+7.5" Barn Door 1kw	R65	-
(119)	1st Electric	8	S	6" Fresnel+7.5" Barn Door 1kw	R65	-
(120)	1st Electric	12	T	6" Fresnel+7.5" Barn Door 1kw	R65	-
(121)	1st Electric	16	U	6" Fresnel+7.5" Barn Door 1kw	R65	-
(131)	Grid H	1	A	Source Four 36°+- 575w	R369	G643
(132)	Grid H	4	B	Source Four 36°+- 575w	R369	G643
(133)	Grid H	7	C	Source Four 36°+- 575w	R369	G643
(134)	Grid H	10	D	Source Four 36°+- 575w	R369	G643



CHANNEL HOOKUP

Page 6 of 11

1/28/2015

Channel	Position	U#	Purp	Inst Type & Access & Watt	Color	Gobo
(135)	Grid J	1	E	Source Four 36°+- 575w	R369	G643
(136)	Grid J	4	F	Source Four 36°+- 575w	R369	G643
(137)	Grid J	7	G	Source Four 36°+- 575w	R369	G643
(138)	Grid J	10	H	Source Four 36°+- 575w	R369	G643
(139)	Grid N	1	I	Source Four 36°+- 575w	R369	G643
(140)	Grid N	4	J	Source Four 36°+- 575w	R369	G643
(141)	Grid N	7	K	Source Four 36°+- 575w	R369	G643
(142)	Grid N	10	L	Source Four 36°+- 575w	R369	G643
(143)	Grid M	14	M	Source Four 36°+- 575w	R369	G643
(144)	Grid N	18	N	Source Four 36°+- 575w	R369	G643
(145)	Grid N	21	O	Source Four 36°+- 575w	R369	G643
(146)	Grid N	24	P	Source Four 36°+- 575w	R369	G643
(147)	Grid N	27	Q	Source Four 36°+- 575w	R369	G643
(148)	1st Electric	3	R	Source Four 50°+6.25"-TopHat* 575w	R369	G643
(149)	1st Electric	7	S	Source Four 50°+6.25"-TopHat* 575w	R369	G643
(150)	1st Electric	11	T	Source Four 50°+6.25"-TopHat* 575w	R369	G643
(151)	1st Electric	15	U	Source Four 50°+6.25"-TopHat* 575w	R369	G643
(161)	Grid H	3	AB	COLORado 2 Zoom Tour+7.5"-TopHat* 50w	RGB	-
(162)	Grid H	6	BC	COLORado 2 Zoom Tour+7.5"-TopHat* 50w	RGB	-
(163)	Grid H	9	CD	COLORado 2 Zoom Tour+7.5"-TopHat* 50w	RGB	-
(164)	Grid J	3	EF	COLORado 2 Zoom Tour+7.5"-TopHat* 50w	RGB	-



CHANNEL HOOKUP

Page 7 of 11

1/28/2015

Channel	Position	U#	Purp	Inst Type & Access & Watt	Color	Gobo
(165)	Grid J	6	FG	COLORado 2 Zoom Tour+7.5"- TopHat* 50w	RGB	-
(166)	Grid J	9	GH	COLORado 2 Zoom Tour+7.5"- TopHat* 50w	RGB	-
(167)	Grid N	3	IJ	COLORado 2 Zoom Tour+7.5"- TopHat* 50w	RGB	-
(168)	Grid N	6	JK	COLORado 2 Zoom Tour+7.5"- TopHat* 50w	RGB	-
(169)	Grid N	9	KL	COLORado 2 Zoom Tour+7.5"- TopHat* 50w	RGB	-
(170)	Grid M	16	M	COLORado 2 Zoom Tour+7.5"- TopHat* 50w	RGB	-
(171)	Grid N	20	NO	COLORado 2 Zoom Tour+7.5"- TopHat* 50w	RGB	-
(172)	Grid N	23	OP	COLORado 2 Zoom Tour+7.5"- TopHat* 50w	RGB	-
(173)	Grid N	26	PQ	COLORado 2 Zoom Tour+7.5"- TopHat* 50w	RGB	-
(174)	1st Electric	5	R	COLORado 2 Zoom Tour+7.5"- TopHat* 50w	RGB	-
(175)	1st Electric	9	S	COLORado 2 Zoom Tour+7.5"- TopHat* 50w	RGB	-
(176)	1st Electric	13	T	COLORado 2 Zoom Tour+7.5"- TopHat* 50w	RGB	-
(177)	1st Electric	17	U	COLORado 2 Zoom Tour+7.5"- TopHat* 50w	RGB	-
(191)	3rd Electric	A1	CYC	R40 4 Cir 8' Strip+- 1.2kw	NC	-
	"	B1	"	"	"	"
(192)	3rd Electric	C1	CYC	R40 4 Cir 8' Strip+- 1.2kw	NC	-
(193)	3rd Electric	D1	CYC	R40 4 Cir 8' Strip+- 1.2kw	NC	-
	"	E1	"	"	"	"



CHANNEL HOOKUP

Page 8 of 11

1/28/2015

Channel	Position	U#	Purp	Inst Type & Access & Watt	Color	Gobo
(201)	3rd Electric	A2	CYC	R40 4 Cir 8' Strip+- 1.2kw	R63	-
	"	B2	"	"	"	"
(202)	3rd Electric	C2	CYC	R40 4 Cir 8' Strip+- 1.2kw	R63	-
(203)	3rd Electric	D2	CYC	R40 4 Cir 8' Strip+- 1.2kw	R63	-
	"	E2	"	"	"	"
(211)	3rd Electric	A3	CYC	R40 4 Cir 8' Strip+- 1.2kw	L161	-
	"	B3	"	"	"	"
(212)	3rd Electric	C3	CYC	R40 4 Cir 8' Strip+- 1.2kw	L161	-
(213)	3rd Electric	D3	CYC	R40 4 Cir 8' Strip+- 1.2kw	L161	-
	"	E3	"	"	"	"
(221)	3rd Electric	A4	CYC	R40 4 Cir 8' Strip+- 1.2kw	R69	-
	"	B4	"	"	"	"
(222)	3rd Electric	C4	CYC	R40 4 Cir 8' Strip+- 1.2kw	R69	-
(223)	3rd Electric	D4	CYC	R40 4 Cir 8' Strip+- 1.2kw	R69	-
	"	E4	"	"	"	"
(231)	SR Boom 2	1	CLO UDS	Source Four 50°+- 575w	L201	R7716 9
(232)	SR Boom 2	2	CLO UDS	Source Four 50°+- 575w	R64	R7821 6
(233)	SR Boom 2	3	CLO UDS	Source Four Zoom 25°-50°+- 575w	L200	G226
(234)	SR Boom 2	4	CLO UDS	Source Four Zoom 25°-50°+- 575w	R72	G230
(241)	Booth Pipe	1	SET	Source Four Zoom 15°-30°+- 575w	R68	G643
	"	2	"	"	"	"
	"	3	"	"	"	"



CHANNEL HOOKUP

Page 9 of 11

1/28/2015

Channel	Position	U#	Purp	Inst Type & Access & Watt	Color	Gobo
(251)	Booth Pipe	7	SET	Source Four Zoom 15°-30°+- 575w	R63	G643
	"	8	"	"	"	"
	"	9	"	"	"	"
(261)	Booth Pipe	4	SET	Source Four Zoom 15°-30°+- 575w	R58	G643
	"	5	"	"	"	"
	"	6	"	"	"	"
(271)	Grid D	19	WAL L	Source Four Zoom 15°-30°+- 575w	L161	G294
(281)	Grid D	20	WAL L	Source Four Zoom 15°-30°+- 575w	L366	G294
(291)	3rd Electric	1	BB	Source Four 50°+6.25"-TopHat* 575w	L202	G294
	"	2	CC	"	"	"
(301)	2nd Electric	5	BB	6" Fresnel+7.5" Barn Door 1kw	L203	-
	"	10	CC	"	"	"
(311)	3rd Electric	4	WIN D	Source Four 70°+- 575w	R363	G216
	"	6	"	"	"	"
(321)	1st Electric	18	BB	Source Four 50°+- 575w	L174	G294
	"	19	CC	"	"	"
(331)	2nd Electric	6	BB	6" Fresnel+7.5" Barn Door 1kw	L354	-
	"	11	CC	"	"	"
(341)	3rd Electric	3	WIN D	Source Four 70°+- 575w	L354	G216
	"	5	"	"	"	"
(351)	2nd Electric	8	BBC C	COLORado 2 Zoom Tour+7.5"-TopHat* 50w	RGB	-



CHANNEL HOOKUP

Page 10 of 11

1/28/2015

Channel	Position	U#	Purp	Inst Type & Access & Watt	Color	Gobo
(361)	2nd Electric	1	XYZ	6" Fresnel+7.5" Barn Door 1kw	L201	
(371)	1st Electric	1	AA	6" Fresnel+- 1kw	L201	-
(381)	2nd Electric	2	XYZ	6" Fresnel+7.5" Barn Door 1kw	R369	
(391)	1st Electric	2	AA	6" Fresnel+- 1kw	R369	-
(401)	Grid K	7	AB	Source Four Zoom 25°-50°+- 575w	R66	G642
	Grid L	10	CD	"	"	"
(402)	Grid K	1	EF	Source Four Zoom 25°-50°+- 575w	R66	G642
	Grid L	"	GH	"	"	"
(403)	Grid O	2	IJ	Source Four Zoom 25°-50°+- 575w	R66	G642
	"	3	KL	"	"	"
(411)	Grid D	1	AB	Source Four Zoom 25°-50°+- 575w	R64	G642
	Grid E	"	CD	"	"	"
(412)	Grid D	15	EF	Source Four Zoom 25°-50°+- 575w	R64	G642
	Grid E	11	GH	"	"	"
(413)	Grid M	1	IJ	Source Four Zoom 25°-50°+- 575w	R64	G642
	"	2	KL	"	"	"
(421)	Grid E	9	MO NO	Source Four 19°+Drop-In Iris 575w	R61+R132	-
(422)	Grid K	5	MO NO	Source Four 19°+Drop-In Iris 575w	R61+R132	-
(423)	Grid M	3	MO NO	Source Four 19°+Drop-In Iris 575w	R61+R132	-
(424)	Grid O	1	MO NO	Source Four 19°+Drop-In Iris 575w	R61+R132	-
(432)	SR Boom 1	1	RAI N	Source Four 36°+- 575w	L174	G223



CHANNEL HOOKUP

Page 11 of 11

1/28/2015

Channel	Position	U#	Purp	Inst Type & Access & Watt	Color	Gobo
(433)	SR Boom 1	2	RAI N	Source Four 36°+- 575w	L354	G223
(434)	SR Boom 1	3	RAI N	Source Four 36°+- 575w	L202	G223
(441)	Grid H	12	AB	6" Fresnel+- 1kw	R02	-
	"	13	BC	"	"	"
(442)	Grid H	14	CD	6" Fresnel+- 1kw	R02	-
(443)	Grid J	12	EF	6" Fresnel+- 1kw	R02	-
	"	13	FG	"	"	"
(444)	Grid J	14	GH	6" Fresnel+- 1kw	R02	-
(445)	Grid N	12	IJ	6" Fresnel+- 1kw	R02	-
	"	13	JK	"	"	"
(446)	Grid N	14	KL	6" Fresnel+- 1kw	R02	-
(447)	Grid M	5	M	6" Fresnel+7.5" Barn Door 1kw	R02	-
(448)	Grid N	15	NO	6" Fresnel+7.5" Barn Door 1kw	R02	-
	"	16	OP	"	"	"
(449)	Grid N	17	PQ	6" Fresnel+7.5" Barn Door 1kw	R02	-
(450)	1st Electric	6	RS	6" Fresnel+7.5" Barn Door 1kw	R02	-
	"	10	ST	"	"	"
(451)	1st Electric	14	TU	6" Fresnel+7.5" Barn Door 1kw	R02	-



INSTRUMENT SCHEDULE

1/28/2015

Nashville Repertory Theatre
Design: Michael Barnett

Tennessee Performing Arts Center
ME: Brandon Webb

TABLE OF CONTENTS

Booth Pipe	1	Grid L	7
Grid A	1	Grid M	8
Grid D	2	Grid N	9
Grid E	3	Grid O	10
Grid G	3	1st Electric	11
Grid H	4	2nd Electric	12
Grid J	5	3rd Electric	13
Grid K	6	SR Boom 1	14
		SR Boom 2	14



INSTRUMENT SCHEDULE

Page 1 of 14

1/28/2015

Nashville Repertory Theatre
Design: Michael Barnett

Tennessee Performing Arts Center
ME: Brandon Webb

Booth Pipe

U#	Purp	Instrument Type & Accessory & Wattage	Color	Gobo	Dm	Chan
1	SET	Source Four Zoom 15°-30°+- 575w	R68	G643		(241)
2	SET	Source Four Zoom 15°-30°+- 575w	R68	G643		(241)
3	SET	Source Four Zoom 15°-30°+- 575w	R68	G643		(241)
4	SET	Source Four Zoom 15°-30°+- 575w	R58	G643		(261)
5	SET	Source Four Zoom 15°-30°+- 575w	R58	G643		(261)
6	SET	Source Four Zoom 15°-30°+- 575w	R58	G643		(261)
7	SET	Source Four Zoom 15°-30°+- 575w	R63	G643		(251)
8	SET	Source Four Zoom 15°-30°+- 575w	R63	G643		(251)
9	SET	Source Four Zoom 15°-30°+- 575w	R63	G643		(251)

Grid A

U#	Purp	Instrument Type & Accessory & Wattage	Color	Gobo	Dm	Chan
1	AB	Source Four 26°+- 575w	R57	G636		(61)
2	CD	Source Four 26°+- 575w	R57	G636		(61)



INSTRUMENT SCHEDULE

Page 2 of 14

1/28/2015

Grid D

U#	Purp	Instrument Type & Accessory & Wattage	Color	Gobo	Dm	Chan
1	AB	Source Four Zoom 25°-50°+- 575w	R64	G642		(411)
2	IJ	Source Four Zoom 25°-50°+- 575w	R363	-		(83)
3	M	Source Four 26°+- 575w	R355+R132	-		(13)
4	EF	Source Four Zoom 25°-50°+- 575w	R363	-		(82)
5	N	Source Four 26°+- 575w	R355+R132	-		(14)
6	RS	Source Four 26°+- 575w	R57	G636		(66)
7	AB	Source Four Zoom 25°-50°+- 575w	R363	-		(81)
8	I	Source Four 26°+- 575w	R355+R132	-		(9)
9	M	Source Four 26°+- 575w	R57	G636		(64)
10	NO	Source Four 26°+- 575w	R57	G636		(65)
11	E	Source Four 26°+- 575w	R355+R132	-		(5)
12	IJ	Source Four 26°+- 575w	R57	G636		(63)
13	A	Source Four 26°+- 575w	R355+R132	-		(1)
14	EF	Source Four 26°+- 575w	R57	G636		(62)
15	EF	Source Four Zoom 25°-50°+- 575w	R64	G642		(412)
16	KL	Source Four Zoom 15°-30°+- 575w	R363	-		(83)
17	GH	Source Four Zoom 15°-30°+- 575w	R363	-		(82)
18	CD	Source Four Zoom 15°-30°+- 575w	R363	-		(81)
19	WAL L	Source Four Zoom 15°-30°+- 575w	L161	G294		(271)
20	WAL L	Source Four Zoom 15°-30°+- 575w	L366	G294		(281)



INSTRUMENT SCHEDULE

Page 3 of 14

1/28/2015

Grid E

U#	Purp	Instrument Type & Accessory & Wattage	Color	Gobo	Dm	Chan
1	CD	Source Four Zoom 25°-50°+- 575w	R64	G642		(411)
2	O	Source Four 26°+- 575w	R355+R132	-		(15)
3	TU	Source Four 26°+- 575w	R57	G636		(66)
4	J	Source Four 26°+- 575w	R355+R132	-		(10)
5	PQ	Source Four 26°+- 575w	R57	G636		(65)
6	F	Source Four 26°+- 575w	R355+R132	-		(6)
7	B	Source Four 26°+- 575w	R355+R132	-		(2)
8	KL	Source Four 26°+- 575w	R57	G636		(63)
9	MON O	Source Four 19°+Drop-In Iris 575w	R61+R132	-		(421)
10	GH	Source Four 26°+- 575w	R57	G636		(62)
11	GH	Source Four Zoom 25°-50°+- 575w	R64	G642		(412)
12	P	Source Four 26°+- 575w	R355+R132	-		(16)
13	K	Source Four 26°+- 575w	R355+R132	-		(11)
14	G	Source Four 26°+- 575w	R355+R132	-		(7)
15	C	Source Four 26°+- 575w	R355+R132	-		(3)

Grid G

U#	Purp	Instrument Type & Accessory & Wattage	Color	Gobo	Dm	Chan
1	H	Source Four 26°+- 575w	R355+R132	-		(8)
2	E	Source Four 26°+- 575w	L201+R132	-		(35)
3	D	Source Four 26°+- 575w	R355+R132	-		(4)
4	A	Source Four 26°+- 575w	L201+R132	-		(31)



INSTRUMENT SCHEDULE

Page 4 of 14

1/28/2015

Grid H

U#	Purp	Instrument Type & Accessory & Wattage	Color	Gobo	Dm	Chan
1	A	Source Four 36°+- 575w	 R369	G643		(131)
2	A	8" Fresnel+10" Barn Door 2kw	 R65	-		(101)
3	AB	COLOrado 2 Zoom Tour+7.5"-TopHat* 50w	RGB	-		(161)
4	B	Source Four 36°+- 575w	 R369	G643		(132)
5	B	8" Fresnel+10" Barn Door 2kw	 R65	-		(102)
6	BC	COLOrado 2 Zoom Tour+7.5"-TopHat* 50w	RGB	-		(162)
7	C	Source Four 36°+- 575w	 R369	G643		(133)
8	C	8" Fresnel+10" Barn Door 2kw	 R65	-		(103)
9	CD	COLOrado 2 Zoom Tour+7.5"-TopHat* 50w	RGB	-		(163)
10	D	Source Four 36°+- 575w	 R369	G643		(134)
11	D	8" Fresnel+10" Barn Door 2kw	 R65	-		(104)
12	AB	6" Fresnel+- 1kw	 R02	-		(441)
13	BC	6" Fresnel+- 1kw	 R02	-		(441)
14	CD	6" Fresnel+- 1kw	 R02	-		(442)
15	L	Source Four 26°+- 575w	 R355+R132	-		(12)
16	I	Source Four 26°+- 575w	 L201+R132	-		(39)



INSTRUMENT SCHEDULE

Page 5 of 14

1/28/2015

Grid J

U#	Purp	Instrument Type & Accessory & Wattage	Color	Gobo	Dm	Chan
1	E	Source Four 36°+- 575w	 R369	G643		(135)
2	E	8" Fresnel+10" Barn Door 2kw	 R65	-		(105)
3	EF	COLORado 2 Zoom Tour+7.5"-TopHat* 50w	RGB	-		(164)
4	F	Source Four 36°+- 575w	 R369	G643		(136)
5	F	8" Fresnel+10" Barn Door 2kw	 R65	-		(106)
6	FG	COLORado 2 Zoom Tour+7.5"-TopHat* 50w	RGB	-		(165)
7	G	Source Four 36°+- 575w	 R369	G643		(137)
8	G	8" Fresnel+10" Barn Door 2kw	 R65	-		(107)
9	GH	COLORado 2 Zoom Tour+7.5"-TopHat* 50w	RGB	-		(166)
10	H	Source Four 36°+- 575w	 R369	G643		(138)
11	H	8" Fresnel+10" Barn Door 2kw	 R65	-		(108)
12	EF	6" Fresnel+- 1kw	 R02	-		(443)
13	FG	6" Fresnel+- 1kw	 R02	-		(443)
14	GH	6" Fresnel+- 1kw	 R02	-		(444)
15	Q	Source Four 26°+- 575w	 R355+R132	-		(17)
16	N	Source Four 26°+- 575w	 L201+R132	-		(44)
17	M	Source Four 26°+- 575w	 L201+R132	-		(43)
18	M	Source Four 26°+- 575w	 R99	G697		(74)



INSTRUMENT SCHEDULE

Page 6 of 14

1/28/2015

Grid K

U#	Purp	Instrument Type & Accessory & Wattage	Color	Gobo	Dm	Chan
1	EF	Source Four Zoom 25°-50°+- 575w	 R66	G642		(402)
2	O	Source Four 26°+- 575w	 L201+R132	-		(45)
3	J	Source Four 26°+- 575w	 L201+R132	-		(40)
4	F	Source Four 26°+- 575w	 L201+R132	-		(36)
5	MON O	Source Four 19°+Drop-In Iris 575w	 R61+R132	-		(422)
6	B	Source Four 26°+- 575w	 L201+R132	-		(32)
7	AB	Source Four Zoom 25°-50°+- 575w	 R66	G642		(401)
8	RS	Source Four 36°+- 575w	 R99	G697		(76)
9	P	Source Four 26°+- 575w	 L201+R132	-		(46)
10	NO	Source Four 36°+- 575w	 R99	G697		(75)
11	K	Source Four 26°+- 575w	 L201+R132	-		(41)
12	IJ	Source Four 36°+- 575w	 R99	G697		(73)
13	G	Source Four 26°+- 575w	 L201+R132	-		(37)
14	EF	Source Four 36°+- 575w	 R99	G697		(72)
15	C	Source Four 26°+- 575w	 L201+R132	-		(33)
16	AB	Source Four 36°+- 575w	 R99	G697		(71)



INSTRUMENT SCHEDULE

Page 7 of 14

1/28/2015

Grid L

U#	Purp	Instrument Type & Accessory & Wattage	Color	Gobo	Dm	Chan
1	GH	Source Four Zoom 25°-50°+- 575w	R66	G642		(402)
2	IJ	Source Four Zoom 15°-30°+- 575w	R67	-		(93)
3	TU	Source Four 36°+- 575w	R99	G697		(76)
4	EF	Source Four Zoom 15°-30°+- 575w	R67	-		(92)
5	PQ	Source Four 36°+- 575w	R99	G697		(75)
6	AB	Source Four Zoom 15°-30°+- 575w	R67	-		(91)
7	KL	Source Four 36°+- 575w	R99	G697		(73)
8	GH	Source Four 36°+- 575w	R99	G697		(72)
9	CD	Source Four 36°+- 575w	R99	G697		(71)
10	CD	Source Four Zoom 25°-50°+- 575w	R66	G642		(401)
11	KL	Source Four Zoom 25°-50°+- 575w	R67	-		(93)
12	GH	Source Four Zoom 25°-50°+- 575w	R67	-		(92)
13	Q	Source Four 26°+- 575w	L201+R132	-		(47)
14	CD	Source Four Zoom 25°-50°+- 575w	R67	-		(91)
15	L	Source Four 26°+- 575w	L201+R132	-		(42)
16	H	Source Four 26°+- 575w	L201+R132	-		(38)
17	D	Source Four 26°+- 575w	L201+R132	-		(34)



INSTRUMENT SCHEDULE

Page 8 of 14

1/28/2015

Grid M

U#	Purp	Instrument Type & Accessory & Wattage	Color	Gobo	Dm	Chan
1	IJ	Source Four Zoom 25°-50°+- 575w	 R64	G642		(413)
2	KL	Source Four Zoom 25°-50°+- 575w	 R64	G642		(413)
3	MON O	Source Four 19°+Drop-In Iris 575w	 R61+R132	-		(423)
4	OPQ	Source Four Zoom 15°-30°+- 575w	 R363	-		(84)
5	M	6" Fresnel+7.5" Barn Door 1kw	 R02	-		(447)
6	MN	Source Four Zoom 25°-50°+- 575w	 R363	-		(84)
7	R	Source Four 26°+- 575w	 R355+R132	-		(18)
8	RS	Source Four Zoom 25°-50°+- 575w	 R363	-		(85)
9	TUV	Source Four Zoom 15°-30°+- 575w	 R363	-		(85)
10	S	Source Four 26°+- 575w	 R355+R132	-		(19)
11	T	Source Four 26°+- 575w	 R355+R132	-		(20)
12	U	Source Four 26°+- 575w	 R355+R132	-		(21)
13	VW	Source Four 26°+- 575w	 R355+R132	-		(22)
14	M	Source Four 36°+- 575w	 R369	G643		(143)
15	M	8" Fresnel+10" Barn Door 2kw	 R65	-		(113)
16	M	COLOrado 2 Zoom Tour+7.5"-TopHat* 50w	RGB	-		(170)



INSTRUMENT SCHEDULE

Page 9 of 14

1/28/2015

Grid N

U#	Purp	Instrument Type & Accessory & Wattage	Color	Gobo	Dm	Chan
1	I	Source Four 36°+- 575w	 R369	G643		(139)
2	I	8" Fresnel+10" Barn Door 2kw	 R65	-		(109)
3	IJ	COLORado 2 Zoom Tour+7.5"-TopHat* 50w	RGB	-		(167)
4	J	Source Four 36°+- 575w	 R369	G643		(140)
5	J	8" Fresnel+10" Barn Door 2kw	 R65	-		(110)
6	JK	COLORado 2 Zoom Tour+7.5"-TopHat* 50w	RGB	-		(168)
7	K	Source Four 36°+- 575w	 R369	G643		(141)
8	K	8" Fresnel+10" Barn Door 2kw	 R65	-		(111)
9	KL	COLORado 2 Zoom Tour+7.5"-TopHat* 50w	RGB	-		(169)
10	L	Source Four 36°+- 575w	 R369	G643		(142)
11	L	8" Fresnel+10" Barn Door 2kw	 R65	-		(112)
12	IJ	6" Fresnel+- 1kw	 R02	-		(445)
13	JK	6" Fresnel+- 1kw	 R02	-		(445)
14	KL	6" Fresnel+- 1kw	 R02	-		(446)
15	NO	6" Fresnel+7.5" Barn Door 1kw	 R02	-		(448)
16	OP	6" Fresnel+7.5" Barn Door 1kw	 R02	-		(448)
17	PQ	6" Fresnel+7.5" Barn Door 1kw	 R02	-		(449)
18	N	Source Four 36°+- 575w	 R369	G643		(144)
19	N	8" Fresnel+10" Barn Door 2kw	 R65	-		(114)
20	NO	COLORado 2 Zoom Tour+7.5"-TopHat* 50w	RGB	-		(171)
21	O	Source Four 36°+- 575w	 R369	G643		(145)
22	O	8" Fresnel+10" Barn Door 2kw	 R65	-		(115)
23	OP	COLORado 2 Zoom Tour+7.5"-TopHat* 50w	RGB	-		(172)
24	P	Source Four 36°+- 575w	 R369	G643		(146)
25	P	8" Fresnel+10" Barn Door 2kw	 R65	-		(116)



INSTRUMENT SCHEDULE

Page 10 of 14

1/28/2015

Grid N

U#	Purp	Instrument Type & Accessory & Wattage	Color	Gobo	Dm	Chan
26	PQ	COLORado 2 Zoom Tour+7.5"-TopHat* 50w	RGB	-		(173)
27	Q	Source Four 36°+- 575w	 R369	G643		(147)
28	Q	8" Fresnel+10" Barn Door 2kw	 R65	-		(117)

Grid O

U#	Purp	Instrument Type & Accessory & Wattage	Color	Gobo	Dm	Chan
1	MON O	Source Four 19°+Drop-In Iris 575w	 R61+R132	-		(424)
2	IJ	Source Four Zoom 25°-50°+- 575w	 R66	G642		(403)
3	KL	Source Four Zoom 25°-50°+- 575w	 R66	G642		(403)
4	MNO	Source Four Zoom 15°-30°+- 575w	 R67	-		(94)
5	QP	Source Four Zoom 25°-50°+- 575w	 R67	-		(94)
6	VW	Source Four 26°+- 575w	 L201+R132	-		(52)
7	R	Source Four 26°+- 575w	 L201+R132	-		(48)
8	S	Source Four 26°+- 575w	 L201+R132	-		(49)
9	T	Source Four 26°+- 575w	 L201+R132	-		(50)
10	RS	Source Four Zoom 15°-30°+- 575w	 R67	-		(95)
11	TU	Source Four Zoom 25°-50°+- 575w	 R67	-		(95)
12	U	Source Four 26°+- 575w	 L201+R132	-		(51)



INSTRUMENT SCHEDULE

Page 11 of 14

1/28/2015

1st Electric

U#	Purp	Instrument Type & Accessory & Wattage	Color	Gobo	Dm	Chan
1	AA	6" Fresnel+- 1kw	L201	-		(371)
2	AA	6" Fresnel+- 1kw	R369	-		(391)
3	R	Source Four 50°+6.25"-TopHat* 575w	R369	G643		(148)
4	R	6" Fresnel+7.5" Barn Door 1kw	R65	-		(118)
5	R	COLORado 2 Zoom Tour+7.5"-TopHat* 50w	RGB	-		(174)
6	RS	6" Fresnel+7.5" Barn Door 1kw	R02	-		(450)
7	S	Source Four 50°+6.25"-TopHat* 575w	R369	G643		(149)
8	S	6" Fresnel+7.5" Barn Door 1kw	R65	-		(119)
9	S	COLORado 2 Zoom Tour+7.5"-TopHat* 50w	RGB	-		(175)
10	ST	6" Fresnel+7.5" Barn Door 1kw	R02	-		(450)
11	T	Source Four 50°+6.25"-TopHat* 575w	R369	G643		(150)
12	T	6" Fresnel+7.5" Barn Door 1kw	R65	-		(120)
13	T	COLORado 2 Zoom Tour+7.5"-TopHat* 50w	RGB	-		(176)
14	TU	6" Fresnel+7.5" Barn Door 1kw	R02	-		(451)
15	U	Source Four 50°+6.25"-TopHat* 575w	R369	G643		(151)
16	U	6" Fresnel+7.5" Barn Door 1kw	R65	-		(121)
17	U	COLORado 2 Zoom Tour+7.5"-TopHat* 50w	RGB	-		(177)
18	BB	Source Four 50°+- 575w	L174	G294		(321)
19	CC	Source Four 50°+- 575w	L174	G294		(321)



INSTRUMENT SCHEDULE

Page 12 of 14

1/28/2015

2nd Electric

U#	Purp	Instrument Type & Accessory & Wattage	Color	Gobo	Dm	Chan
1	XYZ	6" Fresnel+7.5" Barn Door 1kw	 L201			(361)
2	XYZ	6" Fresnel+7.5" Barn Door 1kw	 R369			(381)
5	BB	6" Fresnel+7.5" Barn Door 1kw	 L203	-		(301)
6	BB	6" Fresnel+7.5" Barn Door 1kw	 L354	-		(331)
8	BBC C	COLORado 2 Zoom Tour+7.5"-TopHat* 50w	RGB	-		(351)
10	CC	6" Fresnel+7.5" Barn Door 1kw	 L203	-		(301)
11	CC	6" Fresnel+7.5" Barn Door 1kw	 L354	-		(331)



INSTRUMENT SCHEDULE

Page 13 of 14

1/28/2015

3rd Electric

U#	Purp	Instrument Type & Accessory & Wattage	Color	Gobo	Dm	Chan
1	BB	Source Four 50°+6.25"-TopHat* 575w	L202	G294		(291)
2	CC	Source Four 50°+6.25"-TopHat* 575w	L202	G294		(291)
3	WIN D	Source Four 70°+- 575w	L354	G216		(341)
4	WIN D	Source Four 70°+- 575w	R363	G216		(311)
5	WIN D	Source Four 70°+- 575w	L354	G216		(341)
6	WIN D	Source Four 70°+- 575w	R363	G216		(311)
A1	CYC	R40 4 Cir 8' Strip+- 1.2kw	NC	-		(191)
A2	CYC	R40 4 Cir 8' Strip+- 1.2kw	R63	-		(201)
A3	CYC	R40 4 Cir 8' Strip+- 1.2kw	L161	-		(211)
A4	CYC	R40 4 Cir 8' Strip+- 1.2kw	R69	-		(221)
B1	CYC	R40 4 Cir 8' Strip+- 1.2kw	NC	-		(191)
B2	CYC	R40 4 Cir 8' Strip+- 1.2kw	R63	-		(201)
B3	CYC	R40 4 Cir 8' Strip+- 1.2kw	L161	-		(211)
B4	CYC	R40 4 Cir 8' Strip+- 1.2kw	R69	-		(221)
C1	CYC	R40 4 Cir 8' Strip+- 1.2kw	NC	-		(192)
C2	CYC	R40 4 Cir 8' Strip+- 1.2kw	R63	-		(202)
C3	CYC	R40 4 Cir 8' Strip+- 1.2kw	L161	-		(212)
C4	CYC	R40 4 Cir 8' Strip+- 1.2kw	R69	-		(222)
D1	CYC	R40 4 Cir 8' Strip+- 1.2kw	NC	-		(193)
D2	CYC	R40 4 Cir 8' Strip+- 1.2kw	R63	-		(203)
D3	CYC	R40 4 Cir 8' Strip+- 1.2kw	L161	-		(213)
D4	CYC	R40 4 Cir 8' Strip+- 1.2kw	R69	-		(223)



INSTRUMENT SCHEDULE

Page 14 of 14

1/28/2015

3rd Electric

U#	Purp	Instrument Type & Accessory & Wattage	Color	Gobo	Dm	Chan
E1	CYC	R40 4 Cir 8' Strip+- 1.2kw	NC	-		(193)
E2	CYC	R40 4 Cir 8' Strip+- 1.2kw	R63	-		(203)
E3	CYC	R40 4 Cir 8' Strip+- 1.2kw	L161	-		(213)
E4	CYC	R40 4 Cir 8' Strip+- 1.2kw	R69	-		(223)

SR Boom 1

U#	Purp	Instrument Type & Accessory & Wattage	Color	Gobo	Dm	Chan
1	RAIN	Source Four 36°+- 575w	L174	G223		(432)
2	RAIN	Source Four 36°+- 575w	L354	G223		(433)
3	RAIN	Source Four 36°+- 575w	L202	G223		(434)

SR Boom 2

U#	Purp	Instrument Type & Accessory & Wattage	Color	Gobo	Dm	Chan
1	CLO UDS	Source Four 50°+- 575w	L201	R77169		(231)
2	CLO UDS	Source Four 50°+- 575w	R64	R78216		(232)
3	CLO UDS	Source Four Zoom 25°-50°+- 575w	L200	G226		(233)
4	CLO UDS	Source Four Zoom 25°-50°+- 575w	R72	G230		(234)



INSTRUMENT TYPE COUNT

Page 1 of 1

1/28/2015

Nashville Repertory Theatre
Design: Michael Barnett

Tennessee Performing Arts Center
ME: Brandon Webb

INSTRUMENT TYPE COUNT

Qty	Instrument Type	Watt		
4	Source Four 19°	575w	4	Total
56	Source Four 26°	575w	56	Total
30	Source Four 36°	575w	30	Total
10	Source Four 50°	575w	10	Total
4	Source Four 70°	575w	4	Total
21	Source Four Zoom 15°-30°	575w	21	Total
24	Source Four Zoom 25°-50°	575w	24	Total
28	6" Fresnel	1kw	28	Total
17	8" Fresnel	2kw	17	Total
18	COLORado 2 Zoom Tour	50w	18	Total
5	R40 4 Cir 8' Strip	1.2kw	5	Total
TOTAL LIGHTS:			217	



ACCESSORY COUNT

Page 1 of 1

1/28/2015

Nashville Repertory Theatre
Design: Michael Barnett

Tennessee Performing Arts Center
ME: Brandon Webb

ACCESSORY COUNT

Drop-In Iris

4 for Source Four 19°

4 Total

7.5" Barn Door

17 for 6" Fresnel

17 Total

10" Barn Door

17 for 8" Fresnel

17 Total

6.25"-TopHat*

6 for Source Four 50°

6 Total

7.5"-TopHat*

18 for COLORado 2 Zoom Tour

18 Total



COLOR COUNT

Page 1 of 5

1/28/2015

Nashville Repertory Theatre
Design: Michael Barnett

Tennessee Performing Arts Center
ME: Brandon Webb

COLOR COUNT

Color Cuts

 L161	
Source Four Zoom 15°-30°	1 cut
R40 4 Cir 8' Strip	5 cuts
Total:	6 cuts
 L174	
Source Four 36°	1 cut
Source Four 50°	2 cuts
Total:	3 cuts
 L200	
Source Four Zoom 25°-50°	1 cut
Total:	1 cut
 L201	
Source Four 26°	22 cuts
Source Four 50°	1 cut
6" Fresnel	2 cuts
Total:	25 cuts
 L202	
Source Four 36°	1 cut
Source Four 50°	2 cuts
Total:	3 cuts
 L203	
6" Fresnel	2 cuts
Total:	2 cuts



COLOR COUNT

Page 2 of 5

1/28/2015

 L354	Source Four 36°	1 cut
	Source Four 70°	2 cuts
	6" Fresnel	2 cuts
	Total:	5 cuts
 L366	Source Four Zoom 15°-30°	1 cut
	Total:	1 cut
 R02	6" Fresnel	16 cuts
	Total:	16 cuts
 R355	Source Four 26°	22 cuts
	Total:	22 cuts
 R57	Source Four 26°	11 cuts
	Total:	11 cuts
 R58	Source Four Zoom 15°-30°	3 cuts
	Total:	3 cuts
 R61	Source Four 19°	4 cuts
	Total:	4 cuts



COLOR COUNT

Page 3 of 5

1/28/2015

 R63	
Source Four Zoom 15°-30°	3 cuts
R40 4 Cir 8' Strip	5 cuts
Total:	8 cuts

 R363	
Source Four 70°	2 cuts
Source Four Zoom 15°-30°	5 cuts
Source Four Zoom 25°-50°	5 cuts
Total:	12 cuts

 R64	
Source Four 50°	1 cut
Source Four Zoom 25°-50°	6 cuts
Total:	7 cuts

 R65	
6" Fresnel	4 cuts
8" Fresnel	17 cuts
Total:	21 cuts

 R66	
Source Four Zoom 25°-50°	6 cuts
Total:	6 cuts

 R67	
Source Four Zoom 15°-30°	5 cuts
Source Four Zoom 25°-50°	5 cuts
Total:	10 cuts



COLOR COUNT

Page 4 of 5

1/28/2015



R68

Source Four Zoom 15°-30°	3 cuts
--------------------------	--------

Total:	3 cuts
--------	--------



R69

R40 4 Cir 8' Strip	5 cuts
--------------------	--------

Total:	5 cuts
--------	--------



R369

Source Four 36°	17 cuts
-----------------	---------

Source Four 50°	4 cuts
-----------------	--------

6" Fresnel	2 cuts
------------	--------

Total:	23 cuts
--------	---------



R72

Source Four Zoom 25°-50°	1 cut
--------------------------	-------

Total:	1 cut
--------	-------



R99

Source Four 26°	1 cut
-----------------	-------

Source Four 36°	10 cuts
-----------------	---------

Total:	11 cuts
--------	---------



R132

Source Four 19°	4 cuts
-----------------	--------

Source Four 26°	44 cuts
-----------------	---------

Total:	48 cuts
--------	---------



COLOR COUNT

Page 5 of 5

1/28/2015

COLOR FRAMES

Instrument Type	Frame Label	Size	Per Ckt	Per Sheet
Source Four 19°			1	
Source Four 26°			1	
Source Four 36°			1	
Source Four 50°			1	
Source Four 70°			1	
Source Four Zoom 15°-30°			1	
Source Four Zoom 25°-50°			1	
6" Fresnel			1	
8" Fresnel			1	
COLORado 2 Zoom Tour			1	
R40 4 Cir 8' Strip			1	



GOBO COUNT

Page 1 of 4

1/28/2015

Nashville Repertory Theatre
Design: Michael Barnett


Tennessee Performing Arts Center
ME: Brandon Webb

GOBO COUNT

G216
Bare Branches

4 for Source Four 70°


4 Total



G223
Large Breakup

3 for Source Four 36°

3 Total



G226
Cloud 3

1 for Source Four Zoom 25°-50°

1 Total





GOBO COUNT

Page 2 of 4

1/28/2015

G230
Cloud 7

1 for Source Four Zoom 25°-50°

1 Total




G294
Summer Leaves

4 for Source Four 50°

2 for Source Four Zoom 15°-30°

6 Total



G636
Construction B

11 for Source Four 26°

11 Total



G642
Thin Shafts

12 for Source Four Zoom 25°-50°

12 Total





GOBO COUNT

Page 3 of 4

1/28/2015

G643
Moonscape

17 for Source Four 36°
4 for Source Four 50°
9 for Source Four Zoom 15°-30°

30 Total



G697
Construction D

1 for Source Four 26°
10 for Source Four 36°

11 Total



R77169
Cloud 11

1 for Source Four 50°

1 Total





GOBO COUNT

Page 4 of 4

1/28/2015

R78216
Moon Clouds

1 for Source Four 50°

1 Total

